

Translation of this page is incomplete.

got Tiki via SVN|SVN을 통하여 티키를 다운로드 했다고 가정한다면, 다음 절차를 이용하여 손쉽게 업데이트할 수 있습니다:

지금 실행 중인 버전은 무엇이지?

```
svn info
```

혹은 tiki-admin.php?page=general 에서 확인 가능합니다

파일

2012-12-12 이전에 체크아웃을 했다면

저희는 소스포지(Sourceforge)에서 제공하는 새 플랫폼으로 이전하였습니다: [Migrate to Allura](#)

2012-12-12 이전에 SVN을 통하여 설치된 티키에서 svn up 을 시도하는 경우

```
# svn up -r 44179 svn: Could not open the requested SVN filesystem #
```

SVN 버전 오류

Starting in 10.x, we are using the "peg revision syntax" which requires SVN 1.5 (which is from June 2007). If you are seeing svn update errors, please check your **SVN client software** version (as opposed to your Tiki version).

Examples

(still needs to be tested)

relocate trunk

```
svn switch --relocate https://tikiwiki.svn.sourceforge.net/svnroot/tikiwiki/trunk  
https://svn.code.sf.net/p/tikiwiki/code/trunk .
```

relocate 10.x

```
svn switch --relocate https://tikiwiki.svn.sourceforge.net/svnroot/tikiwiki/branches/10.x  
https://svn.code.sf.net/p/tikiwiki/code/branches/10.x .
```

relocate 9.x

```
svn switch --relocate https://tikiwiki.svn.sourceforge.net/svnroot/tikiwiki/branches/9.x  
https://svn.code.sf.net/p/tikiwiki/code/branches/9.x .
```

relocate 6.x

```
svn switch --relocate https://tikiwiki.svn.sourceforge.net/svnroot/tikiwiki/branches/6.x
https://svn.code.sf.net/p/tikiwiki/code/branches/6.x .
```

Minor upgrade (svn up)

Upgrade all your files to the latest version on the current branch (Ex.: from 6.x to 6.y) or latest version of trunk.

Files, directly

```
svn up
```

Update to a specific revision

```
svn update -r 43705
```

This can be used to downgrade as well. But keep in mind that your database structure can't be automatically downgraded. Database structure typically doesn't change much between minor revisions.

Files, via script

```
be patient, it works for a while until you get feedback
```

```
sh doc/devtools/svnup.sh
```

Tiki6x: This second method will permit to know your SVN revision number. It puts revision number in your site's bottom bar. Look for {`$svnrev`} in `templates/tiki-bot_bar.tpl`

Tiki8.4 and up: It is no longer necessary to use `sh doc/devtools/svnup.sh` (just `svn up` will do the same): See [Module SVNup](#) to show version within Tiki.

This can be on a cron job.

Major upgrade (svn switch)

You can upgrade from 2.x to any later version, in one step. All data migration files are included in each version. For example, from 4.x->7.x, 2.x->6.x, etc.

This is when you switch from one branch to another. When you switch (especially from an old version), you will perhaps get an error message about some directories or files that were not previously in version control (ex.: `templates_c`). This could be "svn: Working copy 'temp/cache' is missing or not locked". If these are directories that you didn't customize (very likely), you can simply delete them and try again. Otherwise, rename them, and you can manually merge your changes back in later. This is caused because we reorganized the code.

Here is a typical error and how to resolve

```
svn: Failed to add directory 'lib/jquery/jquery-ui': an unversioned directory of the same name already exists
```

Delete problematic directory

```
rm -rf lib/jquery/jquery-ui
```

and run svn update again

```
svn update
```

switch to branches/6.x

Go to where the Tiki code is and run the following commands
--

```
svn switch https://svn.code.sf.net/p/tikiwiki/code/branches/6.x . svn up
```

switch to branches/9.x

Go to where the Tiki code is and run the following commands
--

```
svn switch https://svn.code.sf.net/p/tikiwiki/code/branches/9.x . svn up
```

switch to branches/10.x

Go to where the Tiki code is and run the following commands
--

```
svn switch https://svn.code.sf.net/p/tikiwiki/code/branches/10.x . svn up
```

switch to branches/11.x

Go to where the Tiki code is and run the following commands
--

```
svn switch https://svn.code.sf.net/p/tikiwiki/code/branches/11.x . svn up
```

switch to trunk (the next major version)

Go to where the Tiki code is and run the following commands
--

```
svn switch https://svn.code.sf.net/p/tikiwiki/code/trunk . svn up
```

switch to a specific version

Go to where the Tiki code is and run the following commands
--

```
svn switch https://svn.code.sf.net/p/tikiwiki/code/tags/6.4/ .
```

Update perms

```
sh setup.sh
```

This can be on a cron job, if you indicate the user & group params

Database

If there have been database changes, you need to run this. There are always database changes between major versions (6.x -> 7.x) and sometimes in minor versions (6.x -> 6.y). To know if you have to update the database for a minor upgrade, just visit tiki-admin.php and see if there is a warning.

There is no downgrade so make a backup before you proceed.

```
php installer/shell.php
```

This can be on a cron job, or you can go to tiki-install.php, you'll have the option to click on "automatic database upgrade"

This is easy thanks to [Database Schema Upgrade](#)

.htaccess

Upon install, _htaccess must be renamed .htaccess
Because of this, svn up doesn't keep it up to date.
To see if there was a change, you can do:

```
diff _htaccess .htaccess
```

If there is a difference, you can delete .htaccess and rename _htaccess to .htaccess

Clear cache

From web, visit tiki-admin_system.php?do=all

Todo, make a shell script
Cachelib::empty_cache('all')

Update search index

- tiki-admin.php?page=search&rebuild=now

Also see

- [TRIM](#)