

Bugs & Wish list

WYSIWYG_6x - Anchor flag not saving | Tiki Wiki CMS Groupware :: Development

WYSIWYG_6x - Anchor flag not saving

Status

Open

Subject

WYSIWYG_6x - Anchor flag not saving

Version

6.x

Category

- Usability
- Regression
- Consistency

Feature

WYSIWYG (What You See is What You Get)

Wiki Plugin (extends basic syntax)

Toolbars, Quicktags and Smileys

Wiki Syntax (text area, parser, external wiki, etc)

Submitted by

tpinet

Lastmod by

tpinet

Rating

(0)

Description

We are running Tiki 6.2 (clean install), on a Windows 2003 Server, Apache 2.2.16 w SSL, PHP 5.3.3, remote MySQL 5 database.

This bug is across all browsers.

Our users are editing in the CKEditor WYSIWYG and trying to add anchors. When using the WYSIWYG_6x default profile of:

□□□□□□□□

Editing and Plugins Wiki Paragraph formatting (ON, however default: off) ...but still create line breaks within paragraphs (on) HTML Purifier (on) Wiki Allow HTML (on, however default: off) WYSIWYG Content is parsed like wiki page (on) Content is partially wiki parsed (off) Use Wiki syntax in WYSIWYG (off)

our users use the Anchor icon (flag) to create an anchor at the bottom of a page. The anchor name window comes up and they give it a name, save, a yellow anchor icon is displayed in the editor. If they jump to the top of the page and create a Link (using the Link icon in the toolbar) and select Link Type: "Link to another anchor in the text", Select an Anchor/By Anchor Name and press Ok. At this point everything looks correct in CKEditor. The user presses Save. The Link at the top is correct using the normal syntax

□□□□□□□□

[#myAnchor|Link to bottom]

however the anchor at the bottom is gone as if it never saved or the parser has discarded it.

I have had to instruct our users how to type in manually the anchors using the old plugins <http://doc.tiki.org/PluginAlink> and <http://doc.tiki.org/PluginAname>. They are not happy about using long hand plugin notation.

I have tried in both IE 8 and FF 3.6 with the same result.

Since IE is our corp standard our users need to be able to add anchors using that browser. Also, they had no problem in Tiki 5.x but that was a different WYSIWYG system.

May be related to http://dev.tiki.org/tiki-view_tracker_item.php?itemId=1499

Solution

This is the fix but needs to be made optional because allowing IDs is a potential security/integrity problem. See <http://htmlpurifier.org/live/configdoc/plain.html#Attr.EnableID> for more information.

□□□□□□

Index: HTMLPurifier.tiki.php

```
=====
===== --- HTMLPurifier.tiki.php (revision 34555) +++ HTMLPurifier.tiki.php (working
copy) @@ -48,8 +48,12 @@ if ($prefs['feature_wysiwyg'] == 'y' || $prefs['popupLinks'] == 'y') {
$conf->set('HTML.DefinitionID', 'allow target'); $conf->set('HTML.DefinitionRev', 1); +
$conf->set('Attr.EnableID', 1); $def = $conf->getHTMLDefinition(true); $def->addAttribute('a',
'target', 'Enum#_blank,_self,_target,_top'); + $def->addAttribute('a', 'name', 'CDATA'); + + }
return $conf; }
```

Workaround

If I turn Editing and Plugins > HTML Purifier OFF (default: is on) then anchors work. This means to me that the WYSIWYG is inserting bad HTML on save for anchors and the HTML Purifier is stripping it out. This is not ideal however.

Importance

9 high

Priority

45

Demonstrate Bug (Tiki 19+)

Please demonstrate your bug on show2.tiki.org

Version: trunk ▼

Demonstrate Bug (older Tiki versions)

Please demonstrate your bug on show.tikiwiki.org

Version: 18.x ▼

Ticket ID

3828

Created

Monday 21 March, 2011 15:52:07 GMT-0000
by tpinet

LastModif

Wednesday 22 June, 2011 01:16:03 GMT-0000

Comments



Marc Laporte 06 Mar 12 05:01 GMT-0000

For this detailed research.

I hope it can lead to a commit to the main code base.

Attachments

filename	created	hits	comment	version	filetype
----------	---------	------	---------	---------	----------

No attachments for this item

The original document is available at https://dev.tiki.org/item3828-WYSIWYG_6x-Anchor-flag-not-saving