

## Bugs & Wish list

First install from svn fails silently on composer | Tiki Wiki CMS Groupware :: Development

First install from svn fails silently on composer

### Status

● Open

### Subject

First install from svn fails silently on composer

### Version

12.x Regression

### Category

- Usability

### Feature

Installer (profiles, upgrades and server-related issues)

### Resolution status

New

### Submitted by

Jean-Marc Libs

### Lastmod by

Pascal St-Jean

### Rating

★★★★★ (0) ?

### Description

I just installed my first Tiki12 for a long time from svn.

I start sh setup.sh and after I follow all the default suggestions and I see no hint of anything wrong, when I go to the new site all it shows is:

Your Tiki is not completely installed because Composer has not been run to fetch package dependencies. You need to run 'sh setup.sh' from the command line. See <http://dev.tiki.org/Composer> for details.

Going back carefully through the setup messages for the purpose of this bug report, I see that there are actually messages about curl not being found, but they are impossible to spot because they don't stand out and they are immediately scrolled 24 lines !

For the record, this is what I see:

```
libs@giftbox:/www/tiki12.jmlibs.name/htdocs$ sh setup
setup-legacy.sh setup.sh
libs@giftbox:/www/tiki12.jmlibs.name/htdocs$ sh setup.sh
```

Tiki setup.sh - your options

=====

c run composer and exit (recommended to be done first)

f fix (classic default) o open (classic option)

S clear screen

predefined Tiki Permission Check models:

-----  
1 paranoia  
2 paranoia-suphp w suphp workaround  
3 sbox W sbox workaround  
4 mixed  
5 worry 6 moreworry  
7 pain 8 morepain  
9 risky a insane

q quit x exit

There are some other commands recommended for advanced users only.  
More documentation about this: <http://doc.tiki.org/Permission+Check>

Your choice c?

curl: not found

setup.sh: 455: setup.sh: curl: not found

We have failed to obtain the composer executable.

NB: Maybe you are behind a proxy, just export https\_proxy variable and relaunch setup.sh

1) Download it from <http://getcomposer.org>

2) Store it in temp/

Tiki setup.sh - your options

=====

c run composer and exit (recommended to be done first)

f fix (classic default) o open (classic option)

S clear screen

predefined Tiki Permission Check models:

-----  
1 paranoia  
2 paranoia-suphp w suphp workaround  
3 sbox W sbox workaround  
4 mixed  
5 worry 6 moreworry  
7 pain 8 morepain  
9 risky a insane

q quit x exit

There are some other commands recommended for advanced users only.  
More documentation about this: <http://doc.tiki.org/Permission+Check>

Importance

9

Priority

45

Demonstrate Bug (Tiki 19+)

Please demonstrate your bug on [show2.tiki.org](http://show2.tiki.org)

Version: trunk ▼

Demonstrate Bug (older Tiki versions)

Please demonstrate your bug on [show.tikiwiki.org](http://show.tikiwiki.org)

Version: 18.x ▼

Ticket ID

4933

Created

Sunday 17 November, 2013 00:54:23 GMT-0000

by Jean-Marc Libs

LastModif

Saturday 07 March, 2015 17:34:05 GMT-0000

Comments



Jean-Marc Libs 17 Nov 13 00:57 GMT-0000

When an error occurs, it should stand out with:

- Some appearance of the word ERROR
- An interruption of the scrolling with a prompt so people see this message and then hit any key for resuming the process.



Pascal St-Jean 17 Nov 13 00:58 GMT-0000

I've installed and tested a bunch of fresh installs from SVN. No issues on my end

are there specific things outside the defaults that you are using. When I run `sh setup.sh` I just cycle through the defaults.

How can I repeat your issue?

thanks



Jean-Marc Libs 19 Nov 13 10:25 GMT-0000

This was fixed by installing `curl` and `php-curl`. fresh server, remember?

Just like me, you seem to have stared at the error message without seeing it. Which is exactly my point: it needs to be made visible.

For reference, the part that fails to stand out:

`curl: not found`

`setup.sh: 455: setup.sh: curl: not found`

We have failed to obtain the composer executable.

NB: Maybe you are behing a proxy, just export `https_proxy` variable and relaunch `setup.sh`



Louis-Philippe Huberdeau 27 Nov 13 15:31 GMT-0000

There is a check to make sure curl is present on the line just above execution. It does look like it was modified since I added that bit...



Marc Laporte 21 Nov 13 17:43 GMT-0000

Maybe make a new Composer section?

#### Attachments

filename	created	hits	comment	version	filetype
----------	---------	------	---------	---------	----------

No attachments for this item

The original document is available at

<https://dev.tiki.org/item4933-First-install-from-svn-fails-silently-on-composer>