Bugs & Wish list

Database errors when upgrading from Tiki 12.9 to Tiki 15.5 | Tiki Wiki CMS Groupware :: Development Database errors when upgrading from Tiki 12.9 to Tiki 15.5

Status

Closed

Subject

Database errors when upgrading from Tiki 12.9 to Tiki 15.5

Version

12.x

15.x

Category

• Error

Resolution status

New

Submitted by

Fabio Montefuscolo

Lastmod by

Fabio Montefuscolo

Rating

 $\star\star\star\star\star(0)$

Description

I'm trying to upgrade a Tiki 12.9 site to Tiki 15.5 site. Composer runs fine, but when updating database I got several erros after run this command:



php console.php database:update

Error

php console.php database:update

Error 0 in 20151203_tiki_score_revamp_tiki #Add needed columns ALTER TABLE tiki_score change event event varchar(255); #increase varchar length ALTER TABLE tiki_score ADD COLUMN data TEXT You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'ALTER TABLE tiki_score ADD COLUMN data TEXT' at line 3 Error 1 in 20151203_tiki_score_revamp_tiki # Insert old values from tiki_score into new format # Insert user stuff. Login, message, friend pts. INSERT INTO tiki_score (event, data) SELECT "tiki.user.login" AS event, concat('[{"ruleId":"User logs in","recipientType":"user","recipient":"user","score":"',score,'","validObjectIds":[""],"expiration":""}}') AS data FROM tiki_score WHERE event='login' Unknown column 'data' in 'field list' Error 2 in 20151203_tiki_score_revamp_tiki INSERT INTO tiki_score (event, data) SELECT "tiki.user.view" AS event, concat('[{"ruleId":"See other user"'s profile","recipientType":"user","recipient":"user","score":"',max(case when event = 'profile_see' then score else 0 end),'","validObjectIds":[""],"expiration":""},{"ruleId":"Have your profile seen","recipientType":"user","recipient":"object","score":"',max(case when event =

'profile is seen' then score else 0 end),'","validObjectIds":[""],"expiration":""}]') AS data FROM tiki score limit 1 Unknown column 'data' in 'field list' Error 3 in 20151203 tiki score revamp tiki INSERT INTO tiki score (event, data) SELECT "tiki.user.friend" AS event, concat('[{"ruleId":"Make friends", "recipientType": "user", "recipient": "user", "score": "', score, '", "validObjectIds": [""], "expirati on":""}]') AS data FROM tiki score WHERE event='friend new' Unknown column 'data' in 'field list' Error 4 in 20151203 tiki score revamp tiki INSERT INTO tiki score (event, data) SELECT "tiki.user.message" AS event, concat('[{"ruleId":"Send message", "recipientType": "user", "recipient": "user", "score": "', max(case when event = $"message_send" then score else \ 0 \ end), "", "validObjectIds" : [""], "expiration" : ""\}, \{"ruleId" : "Receive \ not be a constant of the property of the$ message", "recipientType": "user", "recipient": "object", "score": ", max(case when event = 'message receive' then score else 0 end), '", "validObjectIds":[""], "expiration": ""}]') AS data FROM tiki score limit 1 Unknown column 'data' in 'field list' Error 5 in 20151203 tiki score revamp tiki # Articles INSERT INTO tiki score (event, data) SELECT "tiki.article.create" AS event, concat('[{"ruleId":"Publish new article", "recipientType": "user", "recipient": "user", "score": ", score, '", "validObjectIds": [""], "expiratio n":""}]') AS data FROM tiki score WHERE event='article new' Unknown column 'data' in 'field list' Error 6 in 20151203 tiki score revamp tiki INSERT INTO tiki score (event, data) SELECT "tiki.article.view" AS event, concat('[{"ruleId":"Read an article", "recipientType": "user", "recipient": "user", "score": "', max(case when event = 'article read' then score else 0 end),'","validObjectIds":[""],"expiration":""},{"ruleId":"Have your article read", "recipientType": "user", "recipient": "author", "score": ", max(case when event = 'article is read' then score else 0 end), ", "validObjectIds":[""], "expiration": ""}]') AS data FROM tiki score limit 1 Unknown column 'data' in 'field list' Error 7 in 20151203 tiki score revamp tiki # File Gallery INSERT INTO tiki score (event, data) SELECT "tiki.filegallery.create" AS event, concat('[{"ruleId":"Create new file gallery", "recipientType": "user", "recipient": "user", "score": "', score, '", "validObjectIds": [""], "expirati on":""}]') AS data FROM tiki score WHERE event='fgallery new' Unknown column 'data' in 'field list' Error 8 in 20151203 tiki score revamp tiki INSERT INTO tiki score (event, data) SELECT "tiki.file.create" AS event, concat('[{"ruleId":"Upload new file to gallery", "recipientType": "user", "recipient": "user", "score": "', score, '", "validObjectIds": [""], "expirati on":""}]') AS data FROM tiki score WHERE event='fgallery new file' Unknown column 'data' in 'field list' Error 9 in 20151203 tiki score revamp tiki INSERT INTO tiki score (event, data) SELECT "tiki.file.download" AS event, concat('[{"ruleId":"Download other user"s file", "recipientType": "user", "recipient": "user", "score": "', max(case when event = 'fgallery download' then score else 0 end),'","validObjectIds":[""],"expiration":""},{"ruleId":"Have your file downloaded", "recipientType": "user", "recipient": "owner", "score": "', max(case when event = 'fgallery is downloaded' then score else 0 end),'", "validObjectIds":[""], "expiration":""}]') AS data FROM tiki score limit 1 Unknown column 'data' in 'field list' Error 10 in 20151203 tiki score revamp tiki # Image Gallery INSERT INTO tiki score (event, data) SELECT "tiki.imagegallery.create" AS event, concat('[{"ruleId":"Create new image gallery", "recipientType": "user", "recipient": "user", "score": "', score, '", "validObjectIds": [""], "expirati on":""}]') AS data FROM tiki score WHERE event='igallery new' Unknown column 'data' in 'field list' Error 11 in 20151203 tiki score revamp tiki INSERT INTO tiki score (event, data) SELECT "tiki.image.create" AS event, concat('[{"ruleId":"Upload new image to gallery", "recipientType": "user", "recipient": "user", "score": "', score, '", "validObjectIds": [""], "expirati on":""}]') AS data FROM tiki score WHERE event='igallery new img' Unknown column 'data' in 'field list' Error 12 in 20151203 tiki score revamp tiki INSERT INTO tiki score (event, data) SELECT "tiki.image.view" AS event, concat('[{"ruleId":"See other user"s image","recipientType":"user","recipient":"user","score":"',max(case when event = 'igallery see img' then score else 0 end),'","validObjectIds":[""],"expiration":""},{"ruleId":"Have your image seen", "recipientType": "user", "recipient": "owner", "score": "', max(case when event =

'igallery img seen' then score else 0 end),'","validObjectIds":[""],"expiration":""}]') AS data FROM tiki score limit 1 Unknown column 'data' in 'field list' Error 13 in 20151203 tiki score revamp tiki #Blogs INSERT INTO tiki score (event, data) SELECT "tiki.blog.create" AS event, concat('[{"ruleId":"Create new blog", "recipientType": "user", "recipient": "user", "score": "', score, '", "validObjectIds": [""], "expiration" :""}]') AS data FROM tiki score WHERE event='blog new' Unknown column 'data' in 'field list' Error 14 in 20151203 tiki score revamp tiki INSERT INTO tiki score (event, data) SELECT "tiki.blogpost.create" AS event, concat('[{"ruleId":"Post in a blog", "recipientType": "user", "recipient": "user", "score": "', score, '", "validObjectIds": [""], "expiration" :""}]') AS data FROM tiki score WHERE event='blog post' Unknown column 'data' in 'field list' Error 15 in 20151203 tiki score revamp tiki INSERT INTO tiki score (event, data) SELECT "tiki.blog.view" AS event, concat('[{"ruleId":"Read other user"s blog", "recipientType": "user", "recipient": "user", "score": "', max(case when event = 'blog_read' then score else 0 end), ", "validObjectIds": [""], "expiration": ""}, { "ruleId": "Have your blog read","recipientType":"user","recipient":"author","score":"',max(case when event = 'blog_is_read' then score else 0 end),'","validObjectIds":[""],"expiration":""}]') AS data FROM tiki score limit 1 Unknown column 'data' in 'field list' Error 16 in 20151203 tiki score revamp tiki # Wikis INSERT INTO tiki score (event, data) SELECT "tiki.wiki.create" AS event, concat('[{"ruleId":"Create a wiki page", "recipientType": "user", "recipient": "user", "score": "', score, '", "validObjectIds": [""], "expiration ":""}]') AS data FROM tiki score WHERE event='wiki new' Unknown column 'data' in 'field list' Error 17 in 20151203 tiki score revamp tiki INSERT INTO tiki score (event, data) SELECT "tiki.wiki.update" AS event, concat('[{"ruleId":"Edit an existing wiki page", "recipientType": "user", "recipient": "user", "score": "', score, '", "validObjectIds": [""], "expiration ":""}]') AS data FROM tiki score WHERE event='wiki edit' Unknown column 'data' in 'field list' Error 18 in 20151203 tiki score revamp tiki INSERT INTO tiki score (event, data) SELECT "tiki.wiki.attachfile" AS event, concat('[{"ruleId":"Attach file to wiki page", "recipientType": "user", "recipient": "user", "score": "', score, '", "validObjectIds": [""], "expiration ":""}]') AS data FROM tiki score WHERE event='wiki attach file' Unknown column 'data' in 'field list' Error 19 in 20151203 tiki score revamp tiki #remove old scores from the tiki score table DELETE FROM tiki score WHERE data is null Unknown column 'data' in 'where clause'

System details

1. MySQL version



root@45af11331f6a:/# mysql --version mysql Ver 15.1 Distrib 10.2.10-MariaDB, for debian-linuxgnu (x86_64) using readline 5.2 root@45af11331f6a:/# mysqld --version mysqld Ver 10.2.10-MariaDB-10.2.10+maria~jessie for debian-linux-gnu on x86_64 (mariadb.org binary distribution)

2. PHP Version



root@6575eef728ba:/var/www/html# php --version PHP 5.6.33 (cli) (built: Jan 9 2018 02:55:39) Copyright (c) 1997-2016 The PHP Group Zend Engine v2.6.0, Copyright (c) 1998-2016 Zend Technologies with Zend OPcache v7.0.6-dev, Copyright (c) 1999-2016, by Zend Technologies with Xdebug v2.5.5, Copyright (c) 2002-2017, by Derick Rethans



root@6575eef728ba:/var/www/html# php -m [PHP Modules] apcu calendar Core ctype curl date dom ereg fileinfo filter ftp gd hash iconv json libxml mbstring mcrypt memcached mysqli mysqlnd openssl pcre PDO pdo_sqlite Phar posix readline Reflection session SimpleXML SPL sqlite3 standard tokenizer xdebug xml xmlreader xmlwriter Zend OPcache zip zlib [Zend Modules] Xdebug Zend OPcache

Importance

3

Priority

15

Demonstrate Bug (Tiki 19+)

Please demonstrate your bug on show2.tiki.org

Version: trunk ▼

Demonstrate Bug (older Tiki versions)

Please demonstrate your bug on show.tikiwiki.org

Version: 18.x ▼

Ticket ID

6544

Created

Saturday 20 January, 2018 22:05:41 GMT-0000 by Fabio Montefuscolo

LastModif

Wednesday 13 June, 2018 22:34:37 GMT-0000

Comments



Fabio Montefuscolo 20 Jan 18 22:19 GMT-0000

I was playing on https://dev.tiki.org/Convert-a-site-installed-via-FTP-to-now-use-SVN



Marc Laporte 23 Jan 18 05:03 GMT-0000

This is quite surprising given all the users which have already proceeded to this upgrade. It seems to me things like this would have been fixed.



Bernard Sfez / Tiki Specialist 24 Jan 18 06:31 GMT-0000

I suspect "caches" or data that are still there from the previous Tiki.

It happened to me several times (not that much I have to say) and sometimes it takes me several times to redo all the install/upgrade process to get all the errors cleaned.

It even happen once waiting for 24h between another try.

(I guess you can find a lot of post in dev I sent about "missing column" or similar.

Note: I even wonder if there is not something with sticky browser. Lately Chrome is particularly sticky and I stopped using it.



Philippe Cloutier 14 Jun 18 14:51 GMT-0000

While our supported databases are basically undocumented, there is no indication that Tiki 15 supports MariaDB 15.1. Furthermore, I guess supporting some RDBMS does not mean we support upgrading from Tiki 1 to current using that RDBMS.

Attachments

filename created hits comment version filetype	
--	--

No attachments for this item

The original document is available at https://dev.tiki.org/item6544-Database-errors-when-upgrading-from-Tiki-12-9-to-Tiki-15-5