Bugs & Wish list

bootstrap_modal modals not popping up, contents being loaded in new page, compromising usability | Tiki Wiki CMS Groupware :: Development
bootstrap_modal modals not popping up, contents being loaded in new page, compromising usability

Status
    🟠 Pending

Subject
    bootstrap_modal modals not popping up, contents being loaded in new page, compromising usability

Version
    18.x Regression
    19.x
    20.x

Category
    - Bug

Feature
    UI / UX (User interface and experience)

Resolution status
    New

Submitted by
    Roberto Kirschbaum

Volunteered to solve
    Roberto Kirschbaum, Fabio Montefuscolo, Jonny Bradley

Lastmod by
    Roberto Kirschbaum, Jonny Bradley

Rating
    ★ ★ ★ ★ ★ (0) ❓

Description
    A modal should show when you click the icon, but it doesnt. The modal contents load in a full page, and with limited functionality, such as not having a "save" button.

Seen in Tikis 18 with r. 69798 and r. 69918

Solution

~~r69798 in 18.x and r69851 in trunk for when we update bootstrap there.
I guess we don't have a solution yet~~

And r70060 in 18.x

Importance

7

Easy to solve?

4

Priority

28

Demonstrate Bug (Tiki 19+)

Please demonstrate your bug on show2.tiki.org

Version: trunk ▼

Demonstrate Bug (older Tiki versions)

Ticket ID

7071

Created

Friday 03 May, 2019 10:25:10 GMT-0000
by Roberto Kirschbaum

LastModif

Friday 24 May, 2019 07:45:32 GMT-0000

Comments

Fabio Montefuscolo 03 May 19 14:17 GMT-0000

Hello guys,

I found the problem. It is related to `sanitize` feature of Bootstrap 3. It is always turned on and there is no way to turn it off using just `data-` attributes.

1. From template, we start an html tag to create the popover
    - https://gitlab.com/tikiwiki/tiki/blob/18.x/templates/tiki-adminusers.tpl#L291
2. The smarty plugin creates other `data-` attributes to create the popover.
    - https://gitlab.com/tikiwiki/tiki/blob/18.x/lib/smarty_tiki/function.popup.php
3. The string in `data-content` has all `data-*` strippped off
    - https://github.com/twbs/bootstrap/blob/v3-dev/js/popover.js#L54

What to do?

1. Globally disable sanitize by putting this in tiki-jquery.js?
    - `$.fn.popover.Constructor.DEFAULTS.sanitize = false`
2. Create a new smarty plugin?

[]s

Roberto Kirschbaum 10 May 19 08:47 GMT-0000

Quoting Jonny:

''Hi all again (cc'ing admins)

Just to bump on this issue, as i believe this to be a release blocker now for all supported branches.

Firstly we need to update bootstrap 4 in trunk and 19.x (as allegedly that scss compile bug may be fixed, needs testing), and these will then have the same problems, and having these not working (and this breaks all modals initiated by links on popover "wrench" menus) is not really acceptable.

Also, just disabling the new bootstrap sanitise feature, which is the only way Fabio and i have found of making it work again, doesn't seem like a good idea, does it?

Tiki 20 is due to branch very soon so a solution is needed ASAP.

I will try to investigate some more when i can (weekend again probably) but some assistance or feedback would be most welcome!

Thanks''

Fabio Montefuscolo 21 May 19 08:43 GMT-0000

Hi Roberto and Jonny,

Please, evaluate this idea. I'm using Tiki tickets to determine if popover as safe. When popover has data-ticket equals to other tickets on page, I mark popover as safe and skip sanitize, otherwise, the content will be sanitized.

https://gitlab.com/tikiwiki/tiki/merge_requests/118

Roberto Kirschbaum 21 May 19 09:57 GMT-0000

Hi Fabio, thanks for the effort. But I applied the patch into 18.x and it didn't work. (Jonny left some conceptual considerations on the Wikisuite Chat.)

Attachments

filename	created	hits	comment	version	filetype

No attachments for this item

The original document is available at
https://dev.tiki.org/item7071-bootstrap_modal-modals-not-popping-up-contents-being-loaded-in-new-page-compromising-usability