






VIVIFERRARA NET






FERRARA SOCIAL NETWORK

Server Check

Server compatibility

Properties	Value	Fitness	Explanation
PHP	8.1.22	 good	PHP version is supported by one of Tiki versions
Database	MariaDB 10.3.31- MariaDB	 good	Database version is supported by one of Tiki Versions.
Tiki Version	26.0	 info	Current Tiki version



Tiki versions compatible with your current server configuration









Tiki Version	PHP	MySQL	MariaDB	Fitness	Explanation
Tiki 26.x	8.1 - 8.2	5.7+	5.5+	 good	Recommended version
Tiki 25.x	7.4	5.7+	5.5+	 info	Supported version
Tiki 24.x	7.4	5.7+	5.5+	 info	Supported version
Tiki 23.x	7.4	5.7+	5.5+	 info	Supported version
Tiki 22.x	7.4	5.7+	5.5+	 info	Supported version






For more details, check the [Tiki Requirements](#) documentation.

MySQL or MariaDB Database Properties

Acknowledge (OK)

Properties	Value	Tiki Fitness	OK	Explanation
Version	10.3.31-MariaDB	 good	<input checked="" type="checkbox"/>	Tiki requires MariaDB >= 5.5 or MySQL >= 5.7
max_allowed_packet	256M	 good	<input checked="" type="checkbox"/>	The max_allowed_packet setting is at 256M. Quite large files can be uploaded,

Properties	Value	Tiki Fitness	OK	Explanation
				but keep in mind to set the script timeouts accordingly. This limits the size of binary files that can be uploaded to Tiki, when storing files in the database. Please see: file storage .
utf8mb4	available	 good	<input checked="" type="checkbox"/>	Your database supports the utf8mb4 character set required in Tiki19 and above.
character_set_client	utf8mb4	 good	<input checked="" type="checkbox"/>	Tiki is fully utf8mb4 and so should be every part of the stack.
character_set_connection	utf8mb4	 good	<input checked="" type="checkbox"/>	Tiki is fully utf8mb4 and so should be every part of the stack.
character_set_database	utf8mb4	 good	<input checked="" type="checkbox"/>	Tiki is fully utf8mb4 and so should be every part of the stack.
character_set_results	utf8mb4	 good	<input checked="" type="checkbox"/>	Tiki is fully utf8mb4 and so should be every part of the stack.
character_set_server	utf8	 unsure	<input type="checkbox"/>	On a fresh install everything should be set to utf8mb4 to avoid unexpected results. For further information please see Understanding Encoding .
character_set_system	utf8	 good	<input checked="" type="checkbox"/>	Tiki is fully utf8mb4 but some database underlying variables are set to utf8 by the database engine and cannot be modified.
collation_connection	utf8mb4_general_ci	 good	<input checked="" type="checkbox"/>	Tiki is fully utf8mb4 and so should be every part of the stack. utf8mb4_unicode_ci is the default collation for Tiki.

Properties	Value	Tiki Fitness	OK	Explanation
collation_database	utf8mb4_unicode_520_ci	 good	<input type="checkbox"/>	Tiki is fully utf8mb4 and so should be every part of the stack. utf8mb4_unicode_ci is the default collation for Tiki.
collation_server	utf8_general_ci	 unsure	<input type="checkbox"/>	On a fresh install everything should be set to utf8mb4 to avoid unexpected results. utf8mb4_unicode_ci is the default collation for Tiki. For further information please see Understanding Encoding .
slow_query_log	OFF	 info	<input type="checkbox"/>	MySQL doesn't log slow queries. If performance issues are noticed, this could be enabled, but keep in mind that the logging itself slows MySQL down.
SSL connection	OFF	 info	<input type="checkbox"/>	MySQL Server does not have SSL activated.
Strict Mode		 info	<input type="checkbox"/>	MySQL is not using strict mode.

New database engine

Your website is using a 18.x or higher version of tiki wiki and your database tables are not using the InnoDB database engine, you should consider migrate to InnoDB, that is now the default database engine for Tiki

MySQL crashed Tables

Be careful

The following list is just a very quick look at SHOW TABLE STATUS that tells you, if tables have been marked as crashed. If you are experiencing database problems you should still run CHECK TABLE or myisamchk to make sure.

Table	Comment
No records found.	

Database mismatches

Check for database tables and columns that are not synced with db/tiki.sql.

Check

Test sending emails

To test if your installation is capable of sending emails please visit the [Tiki Installer](#).

Server Information

Properties	Value
Operating System	Linux
Release	N/A
Web Server	Apache
Server Signature	off

Server Properties

Properties	Value	Tiki		Explanation
		Fitness	OK	
Disk Space	212.40 GB	✔ good	<input type="checkbox"/>	More than 251MB of free disk space is available. Tiki will run smoothly, but there may be issues when the site grows (because of file uploads, for example). When the disk space is filled, users, including administrators, will not be able to log in to Tiki. This test cannot reliably check for quotas, so be warned that if this server makes use of them, there might be less disk space available than reported.

Special directories

To backup these directories go to [Admin->Tiki Cache/SysAdmin](#).

Directories	Fitness	Explanation
Directory: storage/fgal/	✔	Directory is writeable.
Directory: img/trackers	✔	Directory is writeable.
Directory: img/wiki	✔	Directory is writeable.
Directory: img/wiki_up	✔	Directory is writeable.



Apache properties








You are either not running the preferred Apache web server or you are running PHP with a SAPI that does not allow checking Apache properties (e.g. CGI or FPM).








IIS properties







You are not running IIS web server.













PHP scripting language properties







Properties	Value	Tiki Fitness	OK	Explanation
Error logging	Enabled	info	<input type="checkbox"/>	Errors will be logged, since log_errors is enabled. Also display_errors is disabled. good practice for a production site, to log the errors instead of displaying them. How to change this value
Error reporting	Disabled	info	<input type="checkbox"/>	No errors will be reported because display_errors is turned off. This may be appropriate for a production site but, in case problems occur, enable it in php.ini to get more information. The error_reporting level is reasonable at 29687. How to change this value
ini_set	Enabled	good	<input checked="" type="checkbox"/>	ini_set is used in some places to accommodate special requirements of some Tiki features. How to change this value
DB Driver	PDO	good	<input checked="" type="checkbox"/>	The PDO extension is the suggested database driver/abstraction layer.
PHP version	8.1.22	good	<input checked="" type="checkbox"/>	Tiki 22.x and newer will work fine on this version of PHP. Please see http://doc.tiki.org/Requirements for details.
PHP CLI version	8.1.22	good	<input checked="" type="checkbox"/>	The version of the command line executable of PHP

Properties	Value	Tiki Fitness	OK	Explanation
				(/usr/local/bin/php) is the version as the web server version.
PHP Server API	litespeed	 info	<input type="checkbox"/>	PHP is not being run as C aware that PHP is not thre safe and you should not u threaded Apache MPM (lil worker).
ByteCode Cache	N/A	 info	<input type="checkbox"/>	Neither APC, xCache, nor OPcache is being used as ByteCode Cache; if one of were used and correctly configured, performance v be increased. See Admin->Performance in the Tiki f more details.
memory_limit	128M	 unsure	<input type="checkbox"/>	The memory_limit is at 12 This will normally work, bu site might run into proble when it grows. How to cha this value
session.save_handler	files	 good	<input checked="" type="checkbox"/>	Well set! The default setti 'files' is recommended for How to change this value
session.save_path	/var/cpanel/php/sessions/ea-php56	 good	<input type="checkbox"/>	The session.save_path is writable. How to change t value
session.gc_probability	1	 info	<input type="checkbox"/>	In conjunction with gc_dir is used to manage probab that the gc (garbage colle routine is started.
session.gc_divisor	1000	 info	<input type="checkbox"/>	Coupled with session.gc_probability def the probability that the gc (garbage collection) proce started on every session initialization. The probabil calculated by using

Properties	Value	Tiki Fitness	OK	Explanation
				gc_probability/gc_divisor, 1/100 means there is a 1% chance that the GC process starts on each request.
session.gc_maxlifetime	1440s	 info	<input type="checkbox"/>	Specifies the number of seconds after which data is seen as 'garbage' and potentially cleaned up. Garbage collection may occur during session start.
session	empty	 unsure	<input type="checkbox"/>	The session is empty. Try reloading the page and, if message is displayed again there may be a problem with the server setup.
zlib.output_compression	Off	 info	<input type="checkbox"/>	zlib output compression is turned off. This reduces CPU usage. On the other hand, turning it on would save bandwidth. The appropriate choice can be made for the How to change this value
default_charset	UTF-8	 good	<input checked="" type="checkbox"/>	Correctly set! Tiki is fully localized and so should be this installation. How to change value
date.timezone	America/New_York	 good	<input checked="" type="checkbox"/>	Well done! Having a time zone set protects the site from related errors. How to change this value
file_uploads	On	 good	<input checked="" type="checkbox"/>	Files can be uploaded to the server.
max_execution_time	30s	 good	<input checked="" type="checkbox"/>	The max_execution_time is 30. This is a good value for production sites. If timeouts are experienced (such as when performing admin functions) this may need to be increased.

Properties	Value	Tiki Fitness	OK	Explanation
				nevertheless. How to change this value
max_input_time	60s	 good	<input checked="" type="checkbox"/>	The max_input_time is at 60s. This is a good value for production sites. If timeouts were experienced (such as when performing admin functions) this may need to be increased. nevertheless. How to change this value
max_file_uploads	20	 info	<input type="checkbox"/>	The max_file_uploads is at 20. This is the maximum number of files allowed to be uploaded simultaneously. How to change this value
upload_max_filesize	2M	 unsure	<input type="checkbox"/>	The upload_max_filesize is at 2M. This is not a bad amount but be sure the level is high enough to accommodate the needs of the site. How to change this value
post_max_size	8M	 good	<input checked="" type="checkbox"/>	The post_max_size is at 8M. Quite large files can be uploaded, but keep in mind to set the script timeouts accordingly. How to change value
fileinfo	Loaded	 good	<input checked="" type="checkbox"/>	The fileinfo extension is needed for the 'Validate uploaded file content' preference.
intl	Not available	 unsure	<input type="checkbox"/>	intl extension is preferred in Tiki 15 and newer. Because it is not available, the filters for language will not be able to detect the language and will use a general range of characters as letters.

Properties	Value	Tiki Fitness	OK	Explanation
gd	2.3.3	 good	<input checked="" type="checkbox"/>	The GD extension is need manipulation of images and CAPTCHA images.
Image Magick	Not Available	 info	<input type="checkbox"/>	ImageMagick is used as a fallback in case GD is not available.
mbstring	Loaded	 good	<input checked="" type="checkbox"/>	mbstring extension is need for an UTF-8 compatible locale case filter, in the admin section for example.
calendar	Loaded	 good	<input checked="" type="checkbox"/>	calendar extension is need by Tiki.
ctype	Loaded	 good	<input checked="" type="checkbox"/>	ctype extension is needed by Tiki.
libxml	Loaded	 good	<input checked="" type="checkbox"/>	This extension is needed by the dom extension (see below).
dom	Loaded	 good	<input checked="" type="checkbox"/>	This extension is needed by Tiki.
LDAP	Not available	 info	<input type="checkbox"/>	Tiki will not be able to connect to an LDAP server as the needed PHP extension is missing. More info at: http://doc.tiki.org/LDAP
memcached	Not available	 info	<input type="checkbox"/>	This extension can be used to speed up Tiki by saving session data as well as wiki and forum data on a memcached server.
redis	Not available	 info	<input type="checkbox"/>	This extension can be used to speed up Tiki by saving wiki and forum data on a redis server.
SSH2	Not available	 info	<input type="checkbox"/>	This extension is needed by the show.tiki.org tracker file type, up to Tiki 17.
soap	Not available	 info	<input type="checkbox"/>	This extension is used by Tiki for some types of web services.

Properties	Value	Tiki Fitness	OK	Explanation
carray	Not available	 info	<input type="checkbox"/>	High-performance scientific computing library for PHP
curl	Loaded	 good	<input checked="" type="checkbox"/>	This extension is required H5P.
json	Loaded	 good	<input checked="" type="checkbox"/>	This extension is required many features in Tiki.
sodium	Not available	 unsure	<input type="checkbox"/>	This extension is required encrypt data such as CSRF ticket cookie and user data. Enable safe, encrypted storage of data such as passwords. Since Tiki 22, Sodium library (included in PHP 7.2 core) used for the User Encryption feature and improves encryption in other features when available.
openssl	Loaded	 good	<input checked="" type="checkbox"/>	Enable safe, encrypted storage of data such as passwords. 21 and earlier versions, rely on OpenSSL for the User Encryption feature and improves encryption in other features, when available. Tiki still uses OpenSSL to decrypt user data encrypted with OpenSSL, when converting user data to Sodium (PHP 7.2+). Please check the 'User Data Encryption' section to see if there is user data encrypted with OpenSSL.
mcrypt	Not available	 info	<input type="checkbox"/>	MCrypt is abandoned and being phased out. Starting from version 18 up to 21, Tiki uses OpenSSL where it previously used MCrypt, except perhaps via third-party libraries. Tiki still uses MCrypt to decrypt user

Properties	Value	Tiki Fitness	OK	Explanation
				data encrypted with MCrypt when converting that data to OpenSSL. Please check the 'User Data Encryption' section to see if there is user data encrypted with MCrypt.
\Laminas\Math\Rand	Available	good	<input checked="" type="checkbox"/>	Ability to generate random numbers, useful for example CAPTCHA and other security features.
iconv	Loaded	good	<input checked="" type="checkbox"/>	This extension is required and used frequently in validation functions invoked within Zend Framework.
eval()	Available	good	<input checked="" type="checkbox"/>	The eval() function is required by the Smarty templating engine.
ZipArchive class	Not Available	unsure	<input type="checkbox"/>	The ZipArchive class is needed for features such as XML Import/Export and PluginArchiveBuilder.
DateTime class	Available	good	<input checked="" type="checkbox"/>	The DateTime class is needed for the WebDAV feature.
Xdebug	Not Available	info	<input type="checkbox"/>	Xdebug can be very handy on a development server, but might be better to disable it when on a production server.

Change PHP configuration values






You can check the full documentation on how to change the configurations values in <http://www.php.net/manual/en/configuration.php>

PHP scripting language properties

To check the file integrity of your Tiki installation, go to [Admin->Security](#).



Properties	Value	Tiki Fitness	OK	Explanation
upload_tmp_dir		unknown	<input type="checkbox"/>	It can't be reliably determined if the upload_tmp_dir is accessible via a web browser. To be sure, check the webserver configuration.
exec	Enabled	risky	<input type="checkbox"/>	Exec can potentially be used to execute arbitrary code on the server. Tiki does not need it; perhaps it should be disabled. However, the Plugins R/RR need it. If you use the Plugins R/RR and the other PHP software on the server can be trusted, this should be enabled.
passthru	Enabled	risky	<input type="checkbox"/>	Passthru is similar to exec. Tiki does not need it; perhaps it should be disabled. However, the Composer package manager used for installations in Subversion checkouts may need it.
shell_exec	Enabled	risky	<input type="checkbox"/>	Shell_exec is similar to exec. Tiki needs it to run PDF from URL: WebKit (wkhtmltopdf). If this is needed and the other PHP software on the server can be trusted, this should be enabled.
system	Enabled	risky	<input type="checkbox"/>	System is similar to exec. Tiki does not need it; perhaps it should be disabled.
proc_open	Enabled	risky	<input type="checkbox"/>	Proc_open is similar to exec. Tiki does not need it; perhaps it should be disabled. However, the Composer package manager used for installations in Subversion checkouts or when using the package manager from the admin interface may need it.
popen	Enabled	risky	<input type="checkbox"/>	popen is similar to exec. Tiki needs it for file search indexing in file galleries. If this is needed and other PHP software on the server can be trusted, this should be enabled.
curl_exec	Enabled	risky	<input type="checkbox"/>	Curl_exec can potentially be abused to write malicious code. Tiki needs it to run features like Kaltura, CAS login and CCLite. If these are needed and other PHP software on the server can be trusted, this should be enabled.

Properties	Value	Tiki Fitness	OK	Explanation
curl_multi_exec	Enabled	 risky	<input type="checkbox"/>	Curl_multi_exec can potentially be abused to write malicious code. Tiki needs it to run features like Kaltura, CAS login and CCLite. If these are needed and other PHP software on the server can be trusted, this should be enabled.
parse_ini_file	Enabled	 risky	<input type="checkbox"/>	It is probably an urban myth that this is dangerous. Tiki team will reconsider this check, but be warned. It is required for the System Configuration feature.
session.use_trans_sid	Disabled	 safe	<input checked="" type="checkbox"/>	session.use_trans_sid should be off by default. See the PHP manual for details. How to change this value
xbithack	Disabled	 safe	<input checked="" type="checkbox"/>	setting the xbithack option is unsafe. Depending on the file handling of the webserver and the Tiki settings, an attacker may be able to upload scripts to file gallery and execute them. How to change this value
allow_url_fopen	Enabled	 risky	<input type="checkbox"/>	allow_url_fopen may potentially be used to upload remote data or scripts. Also used by Composer to fetch dependencies. The Blogs feature is enabled. If this Tiki does not use the Blogs feature, this can be switched off.

Tiki Security

Sensitive Data Exposure

Tiki did not detect temporary files in the db folder which may expose credentials or other sensitive information.

File Gallery Search Indexing

 [More information here](#)

Feature disabled

Go to the **File Gallery Control Panel** (with advanced preferences showing) to enable

MySQL Variable Information



Properties	Value
alter_algorithm	DEFAULT
aria_block_size	8192
aria_checkpoint_interval	30
aria_checkpoint_log_activity	1048576
aria_encrypt_tables	OFF
aria_force_start_after_recovery_failures	0
aria_group_commit	none
aria_group_commit_interval	0
aria_log_file_size	1073741824
aria_log_purge_type	immediate
aria_max_sort_file_size	9223372036853727232
aria_page_checksum	ON
aria_pagecache_age_threshold	300
aria_pagecache_buffer_size	134217728
aria_pagecache_division_limit	100
aria_pagecache_file_hash_size	512
aria_recover_options	BACKUP,QUICK
aria_repair_threads	1
aria_sort_buffer_size	268434432
aria_stats_method	nulls_unequal
aria_sync_log_dir	NEWFILE
aria_used_for_temp_tables	ON
auto_increment_increment	1
auto_increment_offset	1
autocommit	ON
automatic_sp_privileges	ON
back_log	650
basedir	/usr/
big_tables	OFF

Properties	Value	🔗
bind_address		
binlog_annotate_row_events	ON	
binlog_cache_size	32768	
binlog_checksum	CRC32	
binlog_commit_wait_count	0	
binlog_commit_wait_usec	100000	
binlog_direct_non_transactional_updates	OFF	
binlog_file_cache_size	16384	
binlog_format	MIXED	
binlog_optimize_thread_scheduling	ON	
binlog_row_image	FULL	
binlog_stmt_cache_size	32768	
bulk_insert_buffer_size	8388608	
character_set_client	utf8mb4	
character_set_connection	utf8mb4	
character_set_database	utf8mb4	
character_set_filesystem	binary	
character_set_results	utf8mb4	
character_set_server	utf8	
character_set_system	utf8	
character_sets_dir	/usr/share/mysql/charsets/	
check_constraint_checks	ON	
collation_connection	utf8mb4_general_ci	
collation_database	utf8mb4_unicode_520_ci	
collation_server	utf8_general_ci	
column_compression_threshold	100	
column_compression_zlib_level	6	
column_compression_zlib_strategy	DEFAULT_STRATEGY	
column_compression_zlib_wrap	OFF	
completion_type	NO_CHAIN	

Properties	Value	🔗
concurrent_insert	AUTO	
connect_timeout	25	
core_file	OFF	
datadir	/var/lib/mysql/	
date_format	%Y-%m-%d	
datetime_format	%Y-%m-%d %H:%i:%s	
deadlock_search_depth_long	15	
deadlock_search_depth_short	4	
deadlock_timeout_long	50000000	
deadlock_timeout_short	10000	
debug_no_thread_alarm	OFF	
default_master_connection		
default_regex_flags		
default_storage_engine	MyISAM	
default_tmp_storage_engine		
default_week_format	0	
delay_key_write	ON	
delayed_insert_limit	100	
delayed_insert_timeout	300	
delayed_queue_size	1000	
div_precision_increment	4	
encrypt_binlog	OFF	
encrypt_tmp_disk_tables	OFF	
encrypt_tmp_files	OFF	
enforce_storage_engine		
eq_range_index_dive_limit	0	
error_count	0	
event_scheduler	OFF	
expensive_subquery_limit	100	
expire_logs_days	0	

Properties	Value
explicit_defaults_for_timestamp	OFF
external_user	
extra_max_connections	1
extra_port	0
flush	OFF
flush_time	0
foreign_key_checks	ON
ft_boolean_syntax	+ -><()~*:'"&
ft_max_word_len	84
ft_min_word_len	4
ft_query_expansion_limit	20
ft_stopword_file	(built-in)
general_log	OFF
general_log_file	mysql1006-recovery.log
group_concat_max_len	1048576
gtid_binlog_pos	
gtid_binlog_state	
gtid_current_pos	
gtid_domain_id	0
gtid_ignore_duplicates	OFF
gtid_pos_auto_engines	
gtid_seq_no	0
gtid_slave_pos	
gtid_strict_mode	OFF
have_compress	YES
have_crypt	YES
have_dynamic_loading	YES
have_geometry	YES
have_openssl	YES
have_profiling	YES

Properties	Value
have_query_cache	YES
have_rtree_keys	YES
have_ssl	DISABLED
have_symlink	DISABLED
histogram_size	0
histogram_type	SINGLE_PREC_HB
host_cache_size	753
hostname	mysql1006-recovery.mochahost.c
identity	0
idle_readonly_transaction_timeout	0
idle_transaction_timeout	0
idle_write_transaction_timeout	0
ignore_builtin_innodb	OFF
ignore_db_dirs	lost+found
in_predicate_conversion_threshold	1000
in_transaction	0
init_connect	
init_file	
init_slave	
innodb_adaptive_flushing	ON
innodb_adaptive_flushing_lwm	10.000000
innodb_adaptive_hash_index	OFF
innodb_adaptive_hash_index_parts	8
innodb_adaptive_max_sleep_delay	150000
innodb_autoextend_increment	64
innodb_autoinc_lock_mode	1
innodb_background_scrub_data_check_interval	3600
innodb_background_scrub_data_compressed	OFF
innodb_background_scrub_data_interval	604800
innodb_background_scrub_data_uncompressed	OFF

Properties	Value	🔗
innodb_buf_dump_status_frequency	0	
innodb_buffer_pool_chunk_size	134217728	
innodb_buffer_pool_dump_at_shutdown	ON	
innodb_buffer_pool_dump_now	OFF	
innodb_buffer_pool_dump_pct	25	
innodb_buffer_pool_filename	ib_buffer_pool	
innodb_buffer_pool_instances	4	
innodb_buffer_pool_load_abort	OFF	
innodb_buffer_pool_load_at_startup	ON	
innodb_buffer_pool_load_now	OFF	
innodb_buffer_pool_size	8589934592	
innodb_change_buffer_max_size	25	
innodb_change_buffering	all	
innodb_checksum_algorithm	crc32	
innodb_checksums	ON	
innodb_cmp_per_index_enabled	OFF	
innodb_commit_concurrency	0	
innodb_compression_algorithm	zlib	
innodb_compression_default	OFF	
innodb_compression_failure_threshold_pct	5	
innodb_compression_level	6	
innodb_compression_pad_pct_max	50	
innodb_concurrency_tickets	100	
innodb_data_file_path	ibdata1:12M:autoextend	
innodb_data_home_dir		
innodb_deadlock_detect	ON	
innodb_default_encryption_key_id	1	
innodb_default_row_format	dynamic	
innodb_defragment	OFF	
innodb_defragment_fill_factor	0.900000	

Properties	Value	🔗
innodb_defragment_fill_factor_n_recs	20	
innodb_defragment_frequency	40	
innodb_defragment_n_pages	7	
innodb_defragment_stats_accuracy	0	
innodb_disable_sort_file_cache	OFF	
innodb_disallow_writes	OFF	
innodb_doublewrite	ON	
innodb_encrypt_log	OFF	
innodb_encrypt_tables	OFF	
innodb_encrypt_temporary_tables	OFF	
innodb_encryption_rotate_key_age	1	
innodb_encryption_rotation_iops	100	
innodb_encryption_threads	0	
innodb_fast_shutdown	1	
innodb_fatal_semaphore_wait_threshold	600	
innodb_file_format		
innodb_file_per_table	ON	
innodb_fill_factor	100	
innodb_flush_log_at_timeout	1	
innodb_flush_log_at_trx_commit	2	
innodb_flush_method	fsync	
innodb_flush_neighbors	1	
innodb_flush_sync	ON	
innodb_flushing_avg_loops	30	
innodb_force_load_corrupted	OFF	
innodb_force_primary_key	OFF	
innodb_force_recovery	0	
innodb_ft_aux_table		
innodb_ft_cache_size	8000000	
innodb_ft_enable_diag_print	OFF	

Properties	Value
innodb_ft_enable_stopword	ON
innodb_ft_max_token_size	84
innodb_ft_min_token_size	3
innodb_ft_num_word_optimize	2000
innodb_ft_result_cache_limit	2000000000
innodb_ft_server_stopword_table	
innodb_ft_sort_pll_degree	2
innodb_ft_total_cache_size	640000000
innodb_ft_user_stopword_table	
innodb_idle_flush_pct	100
innodb_immediate_scrub_data_uncompressed	OFF
innodb_instant_alter_column_allowed	add_last
innodb_io_capacity	200
innodb_io_capacity_max	2000
innodb_large_prefix	
innodb_lock_schedule_algorithm	fcfs
innodb_lock_wait_timeout	50
innodb_locks_unsafe_for_binlog	OFF
innodb_log_buffer_size	8388608
innodb_log_checksums	ON
innodb_log_compressed_pages	ON
innodb_log_file_size	134217728
innodb_log_files_in_group	2
innodb_log_group_home_dir	./
innodb_log_optimize_ddl	OFF
innodb_log_write_ahead_size	8192
innodb_lru_scan_depth	1024
innodb_max_dirty_pages_pct	0.000000
innodb_max_dirty_pages_pct_lwm	0.000000
innodb_max_purge_lag	0

Properties	Value	🔗
innodb_max_purge_lag_delay	0	
innodb_max_purge_lag_wait	4294967295	
innodb_max_undo_log_size	10485760	
innodb_monitor_disable		
innodb_monitor_enable		
innodb_monitor_reset		
innodb_monitor_reset_all		
innodb_old_blocks_pct	5	
innodb_old_blocks_time	1000	
innodb_online_alter_log_max_size	134217728	
innodb_open_files	30000	
innodb_optimize_fulltext_only	OFF	
innodb_page_cleaners	4	
innodb_page_size	16384	
innodb_prefix_index_cluster_optimization	OFF	
innodb_print_all_deadlocks	OFF	
innodb_purge_batch_size	300	
innodb_purge_rseg_truncate_frequency	128	
innodb_purge_threads	4	
innodb_random_read_ahead	OFF	
innodb_read_ahead_threshold	56	
innodb_read_io_threads	4	
innodb_read_only	OFF	
innodb_replication_delay	0	
innodb_rollback_on_timeout	OFF	
innodb_rollback_segments	128	
innodb_scrub_log	OFF	
innodb_scrub_log_speed	256	
innodb_sort_buffer_size	1048576	
innodb_spin_wait_delay	4	

Properties	Value	🔗
innodb_stats_auto_recalc	ON	
innodb_stats_include_delete_marked	OFF	
innodb_stats_method	nulls_equal	
innodb_stats_modified_counter	0	
innodb_stats_on_metadata	OFF	
innodb_stats_persistent	ON	
innodb_stats_persistent_sample_pages	20	
innodb_stats_sample_pages	8	
innodb_stats_traditional	ON	
innodb_stats_transient_sample_pages	8	
innodb_status_output	OFF	
innodb_status_output_locks	OFF	
innodb_strict_mode	ON	
innodb_sync_array_size	1	
innodb_sync_spin_loops	30	
innodb_table_locks	ON	
innodb_temp_data_file_path	ibtmp1:12M:autoextend	
innodb_thread_concurrency	0	
innodb_thread_sleep_delay	10000	
innodb_tmpdir		
innodb_undo_directory	./	
innodb_undo_log_truncate	OFF	
innodb_undo_logs	128	
innodb_undo_tablespaces	0	
innodb_use_atomic_writes	ON	
innodb_use_native_aio	OFF	
innodb_version	10.3.31	
innodb_write_io_threads	4	
insert_id	0	
interactive_timeout	180	

Properties	Value	🔗
join_buffer_size	524288	
join_buffer_space_limit	2097152	
join_cache_level	2	
keep_files_on_create	OFF	
key_buffer_size	4294967296	
key_cache_age_threshold	300	
key_cache_block_size	1024	
key_cache_division_limit	100	
key_cache_file_hash_size	512	
key_cache_segments	0	
large_files_support	ON	
large_page_size	0	
large_pages	OFF	
last_gtid		
last_insert_id	0	
lc_messages	en_US	
lc_messages_dir		
lc_time_names	en_US	
license	GPL	
local_infile	ON	
lock_wait_timeout	86400	
locked_in_memory	OFF	
log_bin	OFF	
log_bin_basename		
log_bin_compress	OFF	
log_bin_compress_min_len	256	
log_bin_index		
log_bin_trust_function_creators	OFF	
log_disabled_statements	sp	
log_error	/var/lib/mysql/mysql1006.mocha	

Properties	Value	🔍
log_output	FILE	
log_queries_not_using_indexes	OFF	
log_slave_updates	OFF	
log_slow_admin_statements	ON	
log_slow_disabled_statements	sp	
log_slow_filter	admin,filesort,filesort_on_disk,file	
log_slow_rate_limit	1	
log_slow_slave_statements	ON	
log_slow_verbosity		
log_tc_size	24576	
log_warnings	2	
long_query_time	5.000000	
low_priority_updates	OFF	
lower_case_file_system	OFF	
lower_case_table_names	0	
master_verify_checksum	OFF	
max_allowed_packet	268435456	
max_binlog_cache_size	18446744073709547520	
max_binlog_size	1073741824	
max_binlog_stmt_cache_size	18446744073709547520	
max_connect_errors	10000	
max_connections	3000	
max_delayed_threads	20	
max_digest_length	1024	
max_error_count	64	
max_heap_table_size	402653184	
max_insert_delayed_threads	20	
max_join_size	18446744073709551615	
max_length_for_sort_data	1024	
max_long_data_size	268435456	

Properties	Value	🔗
max_prepared_stmt_count	16382	
max_recursive_iterations	4294967295	
max_relay_log_size	1073741824	
max_seeks_for_key	4294967295	
max_session_mem_used	9223372036854775807	
max_sort_length	1024	
max_sp_recursion_depth	0	
max_statement_time	0.000000	
max_tmp_tables	500	
max_user_connections	10	
max_write_lock_count	4294967295	
metadata_locks_cache_size	1024	
metadata_locks_hash_instances	8	
min_examined_row_limit	0	
mrr_buffer_size	262144	
multi_range_count	256	
myisam_block_size	1024	
myisam_data_pointer_size	6	
myisam_max_sort_file_size	9223372036853727232	
myisam_mmap_size	18446744073709551615	
myisam_recover_options	BACKUP,QUICK	
myisam_repair_threads	1	
myisam_sort_buffer_size	134216704	
myisam_stats_method	NULLS_UNEQUAL	
myisam_use_mmap	OFF	
mysql56_temporal_format	ON	
net_buffer_length	16384	
net_read_timeout	30	
net_retry_count	10	
net_write_timeout	60	

Properties	Value
old	OFF
old_alter_table	DEFAULT
old_mode	
old_passwords	OFF
open_files_limit	500000
optimizer_prune_level	1
optimizer_search_depth	62
optimizer_selectivity_sampling_limit	100
optimizer_switch	index_merge=on,index_merge_ur
optimizer_use_condition_selectivity	1
performance_schema	OFF
performance_schema_accounts_size	-1
performance_schema_digests_size	-1
performance_schema_events_stages_history_long_size	-1
performance_schema_events_stages_history_size	-1
performance_schema_events_statements_history_long_size	-1
performance_schema_events_statements_history_size	-1
performance_schema_events_waits_history_long_size	-1
performance_schema_events_waits_history_size	-1
performance_schema_hosts_size	-1
performance_schema_max_cond_classes	80
performance_schema_max_cond_instances	-1
performance_schema_max_digest_length	1024
performance_schema_max_file_classes	50
performance_schema_max_file_handles	32768
performance_schema_max_file_instances	-1
performance_schema_max_mutex_classes	200
performance_schema_max_mutex_instances	-1
performance_schema_max_rwlock_classes	40
performance_schema_max_rwlock_instances	-1

Properties	Value
performance_schema_max_socket_classes	10
performance_schema_max_socket_instances	-1
performance_schema_max_stage_classes	160
performance_schema_max_statement_classes	200
performance_schema_max_table_handles	-1
performance_schema_max_table_instances	-1
performance_schema_max_thread_classes	50
performance_schema_max_thread_instances	-1
performance_schema_session_connect_attrs_size	-1
performance_schema_setup_actors_size	100
performance_schema_setup_objects_size	100
performance_schema_users_size	-1
pid_file	/var/lib/mysql/mysql1006-recover
plugin_dir	/usr/lib64/mysql/plugin/
plugin_maturity	gamma
port	3306
preload_buffer_size	32768
profiling	OFF
profiling_history_size	15
progress_report_time	5
protocol_version	10
proxy_protocol_networks	
proxy_user	
pseudo_slave_mode	OFF
pseudo_thread_id	1380298
query_alloc_block_size	16384
query_cache_limit	10000
query_cache_min_res_unit	512
query_cache_size	16000000
query_cache_strip_comments	OFF

Properties	Value	🔗
query_cache_type	ON	
query_cache_wlock_invalidate	OFF	
query_prealloc_size	24576	
rand_seed1	922808378	
rand_seed2	457930780	
range_alloc_block_size	4096	
read_binlog_speed_limit	0	
read_buffer_size	131072	
read_only	OFF	
read_rnd_buffer_size	262144	
relay_log		
relay_log_basename		
relay_log_index		
relay_log_info_file	relay-log.info	
relay_log_purge	ON	
relay_log_recovery	OFF	
relay_log_space_limit	0	
replicate_annotate_row_events	ON	
replicate_do_db		
replicate_do_table		
replicate_events_marked_for_skip	REPLICATE	
replicate_ignore_db		
replicate_ignore_table		
replicate_wild_do_table		
replicate_wild_ignore_table		
report_host		
report_password		
report_port	3306	
report_user		
rowid_merge_buff_size	8388608	

Properties	Value
rpl_semi_sync_master_enabled	OFF
rpl_semi_sync_master_timeout	10000
rpl_semi_sync_master_trace_level	32
rpl_semi_sync_master_wait_no_slave	ON
rpl_semi_sync_master_wait_point	AFTER_COMMIT
rpl_semi_sync_slave_delay_master	OFF
rpl_semi_sync_slave_enabled	OFF
rpl_semi_sync_slave_kill_conn_timeout	5
rpl_semi_sync_slave_trace_level	32
secure_auth	ON
secure_file_priv	
secure_timestamp	NO
server_id	1
session_track_schema	ON
session_track_state_change	OFF
session_track_system_variables	autocommit,character_set_client,c
session_track_transaction_info	OFF
skip_external_locking	ON
skip_name_resolve	OFF
skip_networking	OFF
skip_parallel_replication	OFF
skip_replication	OFF
skip_show_database	OFF
slave_compressed_protocol	OFF
slave_ddl_exec_mode	IDEMPOTENT
slave_domain_parallel_threads	0
slave_exec_mode	STRICT
slave_load_tmpdir	/mysqltmp
slave_max_allowed_packet	1073741824
slave_net_timeout	60

Properties	Value	🔗
slave_parallel_max_queued	131072	
slave_parallel_mode	conservative	
slave_parallel_threads	0	
slave_parallel_workers	0	
slave_run_triggers_for_rbr	NO	
slave_skip_errors	OFF	
slave_sql_verify_checksum	ON	
slave_transaction_retries	10	
slave_transaction_retry_errors	1213,1205	
slave_transaction_retry_interval	0	
slave_type_conversions		
slow_launch_time	2	
slow_query_log	OFF	
slow_query_log_file	mysql1006-recovery-slow.log	
socket	/var/lib/mysql/mysql.sock	
sort_buffer_size	2097152	
sql_auto_is_null	OFF	
sql_big_selects	ON	
sql_buffer_result	OFF	
sql_log_bin	ON	
sql_log_off	OFF	
sql_mode		
sql_notes	ON	
sql_quote_show_create	ON	
sql_safe_updates	OFF	
sql_select_limit	18446744073709551615	
sql_slave_skip_counter	0	
sql_warnings	OFF	
ssl_ca		
ssl_capath		

Properties	Value	🔗
ssl_cert		
ssl_cipher		
ssl_crl		
ssl_crlpath		
ssl_key		
standard_compliant_cte	ON	
storage_engine	MyISAM	
stored_program_cache	256	
strict_password_validation	ON	
sync_binlog	0	
sync_frm	ON	
sync_master_info	10000	
sync_relay_log	10000	
sync_relay_log_info	10000	
system_time_zone	EDT	
system_versioning_alter_history	ERROR	
system_versioning_asof	DEFAULT	
table_definition_cache	512000	
table_open_cache	30000	
table_open_cache_instances	8	
tcp_keepalive_interval	0	
tcp_keepalive_probes	0	
tcp_keepalive_time	0	
thread_cache_size	1000	
thread_concurrency	10	
thread_handling	one-thread-per-connection	
thread_pool_idle_timeout	60	
thread_pool_max_threads	65536	
thread_pool_oversubscribe	3	
thread_pool_prio_kickup_timer	1000	

Properties	Value	🔗
thread_pool_priority	auto	
thread_pool_size	24	
thread_pool_stall_limit	500	
thread_stack	299008	
time_format	%H:%i:%s	
time_zone	SYSTEM	
timed_mutexes	OFF	
timestamp	1696871501.960854	
tmp_disk_table_size	18446744073709551615	
tmp_memory_table_size	402653184	
tmp_table_size	402653184	
tmpdir	/mysqltmp	
transaction_alloc_block_size	8192	
transaction_prealloc_size	4096	
tx_isolation	REPEATABLE-READ	
tx_read_only	OFF	
unique_checks	ON	
updatable_views_with_limit	YES	
use_stat_tables	NEVER	
userstat	OFF	
version	10.3.31-MariaDB	
version_comment	MariaDB Server	
version_compile_machine	x86_64	
version_compile_os	Linux	
version_malloc_library	system	
version_source_revision	7f264997dd21c5126350a9a5f0cc	
version_ssl_library	OpenSSL 1.0.2k-fips 26 Jan 2017	
wait_timeout	180	
warning_count	0	
wsrep_osu_method	TOI	

Properties	Value	🔗
wsrep_auto_increment_control	ON	
wsrep_causal_reads	OFF	
wsrep_certification_rules	strict	
wsrep_certify_nonpk	ON	
wsrep_cluster_address		
wsrep_cluster_name	my_wsrep_cluster	
wsrep_convert_lock_to_trx	OFF	
wsrep_data_home_dir	/var/lib/mysql/	
wsrep_debug_option		
wsrep_debug	OFF	
wsrep_desync	OFF	
wsrep_dirty_reads	OFF	
wsrep_drupal_282555_workaround	OFF	
wsrep_forced_binlog_format	NONE	
wsrep_gtid_domain_id	0	
wsrep_gtid_mode	OFF	
wsrep_load_data_splitting	ON	
wsrep_log_conflicts	OFF	
wsrep_max_ws_rows	0	
wsrep_max_ws_size	2147483647	
wsrep_mysql_replication_bundle	0	
wsrep_node_address		
wsrep_node_incoming_address	AUTO	
wsrep_node_name	mysql1006-recovery.mochahost.c	
wsrep_notify_cmd		
wsrep_on	OFF	
wsrep_patch_version	wsrep_25.24	
wsrep_provider	none	
wsrep_provider_options		
wsrep_recover	OFF	

Properties	Value
wsrep_reject_queries	NONE
wsrep_replicate_myisam	OFF
wsrep_restart_slave	OFF
wsrep_retry_autocommit	1
wsrep_slave_fk_checks	ON
wsrep_slave_uk_checks	OFF
wsrep_slave_threads	1
wsrep_sst_auth	
wsrep_sst_donor	
wsrep_sst_donor_rejects_queries	OFF
wsrep_sst_method	rsync
wsrep_sst_receive_address	AUTO
wsrep_start_position	00000000-0000-0000-0000-0000
wsrep_sync_wait	0

PHP Info

For more detailed information about your PHP installation see [Admin->phpinfo](#).

Benchmark PHP/MySQL

Check



BOM Detected Files










Check

Tiki Manager







For more detailed information about Tiki Manager please check doc.tiki.org.

Server Instance

Requirements	Status	Message
Requirement: Operating System Path	 info	/usr/local/bin:/usr/bin:/bin
Requirement: php-cli	 good	Command found

Requirements	Status	Message
Requirement: rsync	 unsure	Command not found, check if it is installed and available in one of the paths above.
Requirement: nice	 good	Command found
Requirement: tar	 good	Command found
Requirement: bzip2	 good	Command found
Requirement: ssh	 good	Command found
Requirement: ssh-copy-id	 good	Command found
Requirement: scp	 good	Command found
Requirement: sqlite	 good	Command found
Requirement: php-sqlite	 good	Extension loaded in PHP






Client Instance

Requirements	Status	Message
Requirement: Operating System Path	 info	/usr/local/bin:/usr/bin:/bin
Requirement: SSH or FTP server	 info	To manage this instance from a remote server you need SSH or FTP access to this server
Requirement: php-cli	 good	Command found
Requirement: mysql	 good	Command found
Requirement: mysqldump	 good	Command found
Requirement: gzip	 good	Command found

User Data Encryption

Encryption Method	Encrypted Preferences	Message
Encryption Method: Sodium	0	
Encryption Method: OpenSSL	0	
Encryption Method: MCrypt	0	

Tiki Packages






Requirements	Status	Message
Requirement: composer	 bad	Composer not found
Requirement: php-bz2	 good	Extension loaded in PHP
Requirement: unzip	 good	Command found
Requirement: composer.tiki.org	 good	URL 'https://composer.tiki.org' is reachable.
Requirement: packagist.org	 good	URL 'https://packagist.org' is reachable.



Composer not found

Composer could not be executed, so the automated check on the packages cannot be performed.





Package Name	Version	Status	Message
No records found.			

OCR Status

Requirements	Version	Status	Message
Requirement: Tesseract package	Not Installed	 bad	Tesseract PHP package could not be found. Try installing through Packages.
Requirement: Tesseract languages		 unsure	Not all languages installed. You may need to install additional languages for multilingual support.
Requirement: Tesseract binary	Not Found	 bad	Tesseract could not be found.
Requirement: Tesseract path		 bad	Your path preference is not configured. It may work now but will likely fail with cron. Specify an absolute path.
Requirement: Pdfimages binary		 bad	Could not find pdfimages. PDF files will not be processed.

Requirements	Version	Status	Message
Requirement: Pdfimages path		 bad	Your path preference is not configured. It may work now but will likely fail with cron. Specify an absolute path.
Requirement: Scheduler		 bad	Scheduler needs to have a console command of "ocr:all" set.

Realtime Tiki

Requirements	Status	Message
Feature enabled	 bad	Feature is disabled in Tiki admin.
Server listening	 good	Server is listening on local system port 8080.
Connectivity	 bad	Could not establish connection to WS server. Check if server is listening and web server proxy configured correctly.
Message exchange	 bad	Could not exchange messages with realtime server. Check if server is running and configured correctly.

System Locales

Locale
aa_DJ
aa_DJ.iso88591
aa_DJ.utf8
aa_ER
aa_ER.utf8
aa_ER.utf8@saaho
aa_ER@saaho
aa_ET
aa_ET.utf8
af_ZA
af_ZA.iso88591
af_ZA.utf8
am_ET
am_ET.utf8

Locale
an_ES
an_ES.iso885915
an_ES.utf8
ar_AE
ar_AE.iso88596
ar_AE.utf8
ar_BH
ar_BH.iso88596
ar_BH.utf8
ar_DZ
ar_DZ.iso88596
ar_DZ.utf8
ar_EG
ar_EG.iso88596
ar_EG.utf8
ar_IN
ar_IN.utf8
ar_IQ
ar_IQ.iso88596
ar_IQ.utf8
ar_JO
ar_JO.iso88596
ar_JO.utf8
ar_KW
ar_KW.iso88596
ar_KW.utf8
ar_LB
ar_LB.iso88596
ar_LB.utf8
ar_LY

Locale

ar_LY.iso88596

ar_LY.utf8

ar_MA

ar_MA.iso88596

ar_MA.utf8

ar_OM

ar_OM.iso88596

ar_OM.utf8

ar_QA

ar_QA.iso88596

ar_QA.utf8

ar_SA

ar_SA.iso88596

ar_SA.utf8

ar_SD

ar_SD.iso88596

ar_SD.utf8

ar_SY

ar_SY.iso88596

ar_SY.utf8

ar_TN

ar_TN.iso88596

ar_TN.utf8

ar_YE

ar_YE.iso88596

ar_YE.utf8

as_IN

as_IN.utf8

ast_ES

ast_ES.iso885915

Locale

ast_ES.utf8

ayc_PE

ayc_PE.utf8

az_AZ

az_AZ.utf8

be_BY

be_BY.cp1251

be_BY.utf8

be_BY.utf8@latin

be_BY@latin

bem_ZM

bem_ZM.utf8

ber_DZ

ber_DZ.utf8

ber_MA

ber_MA.utf8

bg_BG

bg_BG.cp1251

bg_BG.utf8

bho_IN

bho_IN.utf8

bn_BD

bn_BD.utf8

bn_IN

bn_IN.utf8

bo_CN

bo_CN.utf8

bo_IN

bo_IN.utf8

bokmal

Locale

br_FR

br_FR.iso88591

br_FR.iso885915@euro

br_FR.utf8

br_FR@euro

brx_IN

brx_IN.utf8

bs_BA

bs_BA.iso88592

bs_BA.utf8

byn_ER

byn_ER.utf8

C

ca_AD

ca_AD.iso885915

ca_AD.utf8

ca_ES

ca_ES.iso88591

ca_ES.iso885915@euro

ca_ES.utf8

ca_ES@euro

ca_FR

ca_FR.iso885915

ca_FR.utf8

ca_IT

ca_IT.iso885915

ca_IT.utf8

catalan

crh_UA

crh_UA.utf8

Locale

croatian

cs_CZ

cs_CZ.iso88592

cs_CZ.utf8

csb_PL

csb_PL.utf8

cv_RU

cv_RU.utf8

cy_GB

cy_GB.iso885914

cy_GB.utf8

czech

da_DK

da_DK.iso88591

da_DK.iso885915

da_DK.utf8

danish

dansk

de_AT

de_AT.iso88591

de_AT.iso885915@euro

de_AT.utf8

de_AT@euro

de_BE

de_BE.iso88591

de_BE.iso885915@euro

de_BE.utf8

de_BE@euro

de_CH

de_CH.iso88591

Locale
de_CH.utf8
de_DE
de_DE.iso88591
de_DE.iso885915@euro
de_DE.utf8
de_DE@euro
de_LU
de_LU.iso88591
de_LU.iso885915@euro
de_LU.utf8
de_LU@euro
deutsch
doi_IN
doi_IN.utf8
dutch
dv_MV
dv_MV.utf8
dz_BT
dz_BT.utf8
eesti
el_CY
el_CY.iso88597
el_CY.utf8
el_GR
el_GR.iso88597
el_GR.iso88597@euro
el_GR.utf8
el_GR@euro
en_AG
en_AG.utf8

Locale

en_AU

en_AU.iso88591

en_AU.utf8

en_BW

en_BW.iso88591

en_BW.utf8

en_CA

en_CA.iso88591

en_CA.utf8

en_DK

en_DK.iso88591

en_DK.utf8

en_GB

en_GB.iso88591

en_GB.iso885915

en_GB.utf8

en_HK

en_HK.iso88591

en_HK.utf8

en_IE

en_IE.iso88591

en_IE.iso885915@euro

en_IE.utf8

en_IE@euro

en_IN

en_IN.utf8

en_NG

en_NG.utf8

en_NZ

en_NZ.iso88591

Locale
en_NZ.utf8
en_PH
en_PH.iso88591
en_PH.utf8
en_SG
en_SG.iso88591
en_SG.utf8
en_US
en_US.iso88591
en_US.iso885915
en_US.utf8
en_ZA
en_ZA.iso88591
en_ZA.utf8
en_ZM
en_ZM.utf8
en_ZW
en_ZW.iso88591
en_ZW.utf8
es_AR
es_AR.iso88591
es_AR.utf8
es_BO
es_BO.iso88591
es_BO.utf8
es_CL
es_CL.iso88591
es_CL.utf8
es_CO
es_CO.iso88591

Locale

es_CO.utf8

es_CR

es_CR.iso88591

es_CR.utf8

es_CU

es_CU.utf8

es_DO

es_DO.iso88591

es_DO.utf8

es_EC

es_EC.iso88591

es_EC.utf8

es_ES

es_ES.iso88591

es_ES.iso885915@euro

es_ES.utf8

es_ES@euro

es_GT

es_GT.iso88591

es_GT.utf8

es_HN

es_HN.iso88591

es_HN.utf8

es_MX

es_MX.iso88591

es_MX.utf8

es_NI

es_NI.iso88591

es_NI.utf8

es_PA

Locale

es_PA.iso88591

es_PA.utf8

es_PE

es_PE.iso88591

es_PE.utf8

es_PR

es_PR.iso88591

es_PR.utf8

es_PY

es_PY.iso88591

es_PY.utf8

es_SV

es_SV.iso88591

es_SV.utf8

es_US

es_US.iso88591

es_US.utf8

es_UY

es_UY.iso88591

es_UY.utf8

es_VE

es_VE.iso88591

es_VE.utf8

estonian

et_EE

et_EE.iso88591

et_EE.iso885915

et_EE.utf8

eu_ES

eu_ES.iso88591

Locale

eu_ES.iso885915@euro

eu_ES.utf8

eu_ES@euro

fa_IR

fa_IR.utf8

ff_SN

ff_SN.utf8

fi_FI

fi_FI.iso88591

fi_FI.iso885915@euro

fi_FI.utf8

fi_FI@euro

fil_PH

fil_PH.utf8

finnish

fo_FO

fo_FO.iso88591

fo_FO.utf8

fr_BE

fr_BE.iso88591

fr_BE.iso885915@euro

fr_BE.utf8

fr_BE@euro

fr_CA

fr_CA.iso88591

fr_CA.utf8

fr_CH

fr_CH.iso88591

fr_CH.utf8

fr_FR

Locale

fr_FR.iso88591

fr_FR.iso885915@euro

fr_FR.utf8

fr_FR@euro

fr_LU

fr_LU.iso88591

fr_LU.iso885915@euro

fr_LU.utf8

fr_LU@euro

french

fur_IT

fur_IT.utf8

fy_DE

fy_DE.utf8

fy_NL

fy_NL.utf8

ga_IE

ga_IE.iso88591

ga_IE.iso885915@euro

ga_IE.utf8

ga_IE@euro

galego

galician

gd_GB

gd_GB.iso885915

gd_GB.utf8

german

gez_ER

gez_ER.utf8

gez_ER.utf8@abegede

Locale

gez_ER@abegede

gez_ET

gez_ET.utf8

gez_ET.utf8@abegede

gez_ET@abegede

gl_ES

gl_ES.iso88591

gl_ES.iso885915@euro

gl_ES.utf8

gl_ES@euro

greek

gu_IN

gu_IN.utf8

gv_GB

gv_GB.iso88591

gv_GB.utf8

ha_NG

ha_NG.utf8

he_IL

he_IL.iso88598

he_IL.utf8

hebrew

hi_IN

hi_IN.utf8

hne_IN

hne_IN.utf8

hr_HR

hr_HR.iso88592

hr_HR.utf8

hrvatski

Locale
hsb_DE
hsb_DE.iso88592
hsb_DE.utf8
ht_HT
ht_HT.utf8
hu_HU
hu_HU.iso88592
hu_HU.utf8
hungarian
hy_AM
hy_AM.armscii8
hy_AM.utf8
ia_FR
ia_FR.utf8
icelandic
id_ID
id_ID.iso88591
id_ID.utf8
ig_NG
ig_NG.utf8
ik_CA
ik_CA.utf8
is_IS
is_IS.iso88591
is_IS.utf8
it_CH
it_CH.iso88591
it_CH.utf8
it_IT
it_IT.iso88591

Locale
it_IT.iso885915@euro
it_IT.utf8
it_IT@euro
italian
iu_CA
iu_CA.utf8
iw_IL
iw_IL.iso88598
iw_IL.utf8
ja_JP
ja_JP.eucjp
ja_JP.ujis
ja_JP.utf8
japanese
japanese.euc
ka_GE
ka_GE.georgianps
ka_GE.utf8
kk_KZ
kk_KZ.pt154
kk_KZ.utf8
kl_GL
kl_GL.iso88591
kl_GL.utf8
km_KH
km_KH.utf8
kn_IN
kn_IN.utf8
ko_KR
ko_KR.euckr

Locale
ko_KR.utf8
kok_IN
kok_IN.utf8
korean
korean.euc
ks_IN
ks_IN.utf8
ks_IN.utf8@devanagari
ks_IN@devanagari
ku_TR
ku_TR.iso88599
ku_TR.utf8
kw_GB
kw_GB.iso88591
kw_GB.utf8
ky_KG
ky_KG.utf8
lb_LU
lb_LU.utf8
lg_UG
lg_UG.iso885910
lg_UG.utf8
li_BE
li_BE.utf8
li_NL
li_NL.utf8
lij_IT
lij_IT.utf8
lithuanian
lo_LA

Locale
lo_LA.utf8
lt_LT
lt_LT.iso885913
lt_LT.utf8
lv_LV
lv_LV.iso885913
lv_LV.utf8
mag_IN
mag_IN.utf8
mai_IN
mai_IN.utf8
mg_MG
mg_MG.iso885915
mg_MG.utf8
mhr_RU
mhr_RU.utf8
mi_NZ
mi_NZ.iso885913
mi_NZ.utf8
mk_MK
mk_MK.iso88595
mk_MK.utf8
ml_IN
ml_IN.utf8
mn_MN
mn_MN.utf8
mni_IN
mni_IN.utf8
mr_IN
mr_IN.utf8

Locale
ms_MY
ms_MY.iso88591
ms_MY.utf8
mt_MT
mt_MT.iso88593
mt_MT.utf8
my_MM
my_MM.utf8
nan_TW.utf8@latin
nan_TW@latin
nb_NO
nb_NO.iso88591
nb_NO.utf8
nds_DE
nds_DE.utf8
nds_NL
nds_NL.utf8
ne_NP
ne_NP.utf8
nhn_MX
nhn_MX.utf8
niu_NU
niu_NU.utf8
niu_NZ
niu_NZ.utf8
nl_AW
nl_AW.utf8
nl_BE
nl_BE.iso88591
nl_BE.iso885915@euro

Locale

nl_BE.utf8

nl_BE@euro

nl_NL

nl_NL.iso88591

nl_NL.iso885915@euro

nl_NL.utf8

nl_NL@euro

nn_NO

nn_NO.iso88591

nn_NO.utf8

no_NO

no_NO.ISO-8859-1

norwegian

nr_ZA

nr_ZA.utf8

nso_ZA

nso_ZA.utf8

nynorsk

oc_FR

oc_FR.iso88591

oc_FR.utf8

om_ET

om_ET.utf8

om_KE

om_KE.iso88591

om_KE.utf8

or_IN

or_IN.utf8

os_RU

os_RU.utf8

Locale
pa_IN
pa_IN.utf8
pa_PK
pa_PK.utf8
pap_AN
pap_AN.utf8
pl_PL
pl_PL.iso88592
pl_PL.utf8
polish
portuguese
POSIX
ps_AF
ps_AF.utf8
pt_BR
pt_BR.iso88591
pt_BR.utf8
pt_PT
pt_PT.iso88591
pt_PT.iso885915@euro
pt_PT.utf8
pt_PT@euro
ro_RO
ro_RO.iso88592
ro_RO.utf8
romanian
ru_RU
ru_RU.iso88595
ru_RU.koi8r
ru_RU.utf8

Locale
ru_UA
ru_UA.koi8u
ru_UA.utf8
russian
rw_RW
rw_RW.utf8
sa_IN
sa_IN.utf8
sat_IN
sat_IN.utf8
sc_IT
sc_IT.utf8
sd_IN
sd_IN.utf8
sd_IN.utf8@devanagari
sd_IN@devanagari
se_NO
se_NO.utf8
shs_CA
shs_CA.utf8
si_LK
si_LK.utf8
sid_ET
sid_ET.utf8
sk_SK
sk_SK.iso88592
sk_SK.utf8
sl_SI
sl_SI.iso88592
sl_SI.utf8

Locale
slovak
slovene
slovenian
so_DJ
so_DJ.iso88591
so_DJ.utf8
so_ET
so_ET.utf8
so_KE
so_KE.iso88591
so_KE.utf8
so_SO
so_SO.iso88591
so_SO.utf8
spanish
sq_AL
sq_AL.iso88591
sq_AL.utf8
sq_MK
sq_MK.utf8
sr_ME
sr_ME.utf8
sr_RS
sr_RS.utf8
sr_RS.utf8@latin
sr_RS@latin
ss_ZA
ss_ZA.utf8
st_ZA
st_ZA.iso88591

Locale
st_ZA.utf8
sv_FI
sv_FI.iso88591
sv_FI.iso885915@euro
sv_FI.utf8
sv_FI@euro
sv_SE
sv_SE.iso88591
sv_SE.iso885915
sv_SE.utf8
sw_KE
sw_KE.utf8
sw_TZ
sw_TZ.utf8
swedish
szl_PL
szl_PL.utf8
ta_IN
ta_IN.utf8
ta_LK
ta_LK.utf8
te_IN
te_IN.utf8
tg_TJ
tg_TJ.koi8t
tg_TJ.utf8
th_TH
th_TH.tis620
th_TH.utf8
thai

Locale	
ti_ER	
ti_ER.utf8	
ti_ET	
ti_ET.utf8	
tig_ER	
tig_ER.utf8	
tk_TM	
tk_TM.utf8	
tl_PH	
tl_PH.iso88591	
tl_PH.utf8	
tn_ZA	
tn_ZA.utf8	
tr_CY	
tr_CY.iso88599	
tr_CY.utf8	
tr_TR	
tr_TR.iso88599	
tr_TR.utf8	
ts_ZA	
ts_ZA.utf8	
tt_RU	
tt_RU.utf8	
tt_RU.utf8@iqtelif	
tt_RU@iqtelif	
turkish	
ug_CN	
ug_CN.utf8	
uk_UA	
uk_UA.koi8u	

Locale
uk_UA.utf8
unm_US
unm_US.utf8
ur_IN
ur_IN.utf8
ur_PK
ur_PK.utf8
uz_UZ
uz_UZ.iso88591
uz_UZ.utf8@cyrillic
uz_UZ@cyrillic
ve_ZA
ve_ZA.utf8
vi_VN
vi_VN.utf8
wa_BE
wa_BE.iso88591
wa_BE.iso885915@euro
wa_BE.utf8
wa_BE@euro
wae_CH
wae_CH.utf8
wal_ET
wal_ET.utf8
wo_SN
wo_SN.utf8
xh_ZA
xh_ZA.iso88591
xh_ZA.utf8
yi_US

Locale

yi_US.cp1255

yi_US.utf8

yo_NG

yo_NG.utf8

yue_HK

yue_HK.utf8

zh_CN

zh_CN.gb18030

zh_CN.gb2312

zh_CN.gbk

zh_CN.utf8

zh_HK

zh_HK.big5hkscs

zh_HK.utf8

zh_SG

zh_SG.gb2312

zh_SG.gbk

zh_SG.utf8

zh_TW

zh_TW.big5

zh_TW.euctw

zh_TW.utf8

zu_ZA

zu_ZA.iso88591

zu_ZA.utf8

System Menu[Home](#)[Search](#)



Contact Us

Categories

Tags

Calendar

User Wizard

Community ▼

Wiki ▼

Articles ▼

Blogs ▼

Forums ▼

File Galleries ▼

Spreadsheets ▼

Trackers ▼

Newsletters ▼

Settings ▼

Show PHP error messages