

# Merge a commit between branches

## Example 1: Forward-port from 8.x to trunk

Say you commit a fix to a stable branch (ex.: 8x), and you want to merge that commit to trunk (ex.: future 9x)

In this example, we'll merge the commit in branches/8.x ([revision 39486](#)) to trunk.

1. Checkout trunk -> [get code](#)
2. From the trunk directory (you may have to do 'cd trunk')

**Merge revision from branches/8.x to the current checkout (which happens to be trunk)**

```
svn merge -c 39486 ^/branches/8.x
```

3. [Commit](#)

```
svn commit -m "[merge/r39486] minor text corrections" youeditedtikifile.php
```

## Example 2: Backport from 15.x to 14.x

1. Checkout or Update 14.x (using [svn up](#))
2. From the 14.x directory

**Merge revision from branches/15.x to the current revision in 14.x**

```
svn merge -c 57822 ^/branches/15.x
```

3. [Commit](#)

```
svn commit -m "[bp/r57822] the original commit message" youeditedtikifile.php
```

## Example 3: Backport from trunk to 19.x

1. Checkout or Update 19.x (using [svn up](#))
2. From the 19.x directory

**Merge revision from trunk to 19.x**

```
svn merge -c 69060 ^/trunk
```

3. [Commit](#)

```
svn commit -m "[bp/r69060] the original commit message" youeditedtikifile.php
```

Related:

- [Merge a commit from trunk](#)
- [Where to commit](#)
- [Semi-automatic merging period](#)

Other pages related to merging:

10 pages found for title search '**merg**'

- [Semi-automatic merging period](#)
- [Merge Tiki Spreadsheet into Tiki Trackers](#)
- [Merge language improvements](#)
- [Merge Files](#)
- [Merge categories on dev.tiki.org](#)
- [Merge a commit from trunk](#)
- [merge](#)
- [Mass operations to do after the Semi-automatic merging period](#)
- [Mail Merge](#)
- [How to Submit a Merge Request](#)

Alias:

[Merge a commit to trunk](#)