

Also note that this goes away when TikiWiki 3 is placed into a non-root directory; it only affects a root installation at /, rather than at a server subdirectory.

Solution

This should be fixed in branch 5.x for Tiki 5.0. See ticket 2250.

Importance

7

Priority

35

Demonstrate Bug (Tiki 19+)

Please demonstrate your bug on show2.tiki.org

Version: `trunk` ▼

Ticket ID

2505

Created

Friday 15 May, 2009 01:56:54 GMT-0000
by Unknown

LastModif

Tuesday 25 May, 2010 05:02:10 GMT-0000

Comments



Nelson Ko 17 May 09 13:05 GMT-0000

Ok. Noted. Added to <http://doc.tikiwiki.org/ReleaseNotes30>



davenh 04 Jun 09 18:10 GMT-0000

I had the same issue running Apache on a Windows Server 2003 platform. After a bit of digging the following change fixed it:

I had the same issue running Apache (PHP 5) in Windows, and I think I found the issue..

In `/lib/smarty_tiki/block.self_link.php`, replace the following:

```
$self_dir = dirname($_SERVER'PHP_SELF');
```

with this:

```
$self_dir = str_replace('\\','/', dirname($_SERVER'PHP_SELF'));
```

The `dirname` function returns `'\'` as the path, and in the `block.self_link.php` file, this causes `$params'_script'` to be modified due to it looking for a `'/'`. The above modification fixes this so a `'\'` is properly identified as a `'/'`.

Attachments

filename	created	hits	comment	version	filetype
-----------------	----------------	-------------	----------------	----------------	-----------------

No attachments for this item

The original document is available at <https://dev.tiki.org/item2505-Button-links-broken-on-IIS-installation>