Allow redirect plugin to use fragment identifiers (section/anchor ids) (patch included) | Tiki Wiki CMS Groupware :: Development
Allow redirect plugin to use fragment identifiers (section/anchor ids) (patch included)

Status
Open

Subject
Allow redirect plugin to use fragment identifiers (section/anchor ids) (patch included)

Version
1.9.x
2.x
3.x

Category
- Feature request
- Patch

Feature
Wiki Plugin (extends basic syntax)
Search engine optimization (SEO)

Submitted by
lbmaian

Lastmod by
Marc Laporte

Rating
(0)

Description
The redirect plugin currently lacks the ability to include fragment identifiers, e.g. `{REDIRECT(page=Foo#some_id)/}` does not work; the resulting URL is `tiki-index.php?page=Foo#some_id&redirectpage=this_page` instead of `tiki-index.php?page=Foo&redirectpage=this_page#some_id.`

Solution
This patch provides a new parameter called "section" which can be set to the anchor id (not including the "#"). I decided to add this new parameter instead of better parsing of the "page" parameter to be consistent with the fragment syntax for internal links (`((Foo|#bar))` - note how it's not `((Foo#bar))`)

```
--- wikiplugin_redirect.php.old 2009-04-29 07:02:08.000000000 -0500
+++ wikiplugin_redirect.php     2009-05-20 12:22:21.028250000 -0500
@@ -6,7 +6,7 @@
 // @author damian aka damosoft 30 March 2004

 function wikiplugin_redirect_help() {
-        return tra("Redirects you to another wiki page").":<br
/>{REDIRECT(page=pagename [,url=http://foobar])/}";
+       return tra("Redirects you to another wiki page").":<br
/>{REDIRECT(page=pagename [,section=section_id] [,url=http://foobar])/}";
 }

 function wikiplugin_redirect_info() {
```

```
@@ -22,6 +22,11 @@
                                    'name' => tra('Page Name'),
                                    'description' => tra('Wiki page name to redirect to.'),
                            ),
+            'section' => array(
+                'required' => false,
+                'name' => tra('Section/anchor id'),
+                'description' => tra('Id of section/anchor within wiki page to
redirect to (see id attribute of <a> elements in HTML source of wiki page).'),
+            ),
                            'url' => array(
                                    'required' => false,
                                    'name' => tra('url'),
@@ -43,11 +48,15 @@
        } else {
                /* SEO: Redirect with HTTP status 301 - Moved Permanently than default
302 - Found */
                if (isset($page)) {
-                       header("Location: tiki-
index.php?page=$page&redirectpage=".$_REQUEST['page'], true, 301);
+                       if (isset($section))
+                               $section = '#'.$section;
+                       else
+                               $section = '';
+                       header('Location: tiki-
index.php?page='.urlencode($page).'&redirectpage='.$_REQUEST['page'].$section, true,
301);
                        exit;
                }
                if (isset($url)) {
-                       header("Location: $url");
+                       header("Location: $url", true, 301);
                        exit;
                }
        }
```

Priority
25

Demonstrate Bug (Tiki 19+)

Please demonstrate your bug on show2.tiki.org

Version: trunk ▼

Demonstrate Bug (older Tiki versions)

Please demonstrate your bug on show.tikiwiki.org

Version: 18.x ▼

Ticket ID
2516

Created
Wednesday 20 May, 2009 17:34:34 GMT-0000
by Unknown

LastModif
Sunday 07 June, 2009 16:15:30 GMT-0000

Comments



Marc Laporte 23 Aug 10 10:12 GMT-0000

patches can quickly become stale...

What is your SourceForge login?

Thanks!

Attachments

filename	created	hits	comment	version	filetype

No attachments for this item

The original document is available at https://dev.tiki.org/item2516-Allow-redirect-plugin-to-use-fragment-identifiers-section-anchor-ids-patch-included