

## Bugs & Wish list

Webmail has problems with semi-non-standard mail-headers 'Message-ID' vs. 'Message-Id' | Tiki Wiki CMS Groupware :: Development  
Webmail has problems with semi-non-standard mail-headers 'Message-ID' vs. 'Message-Id'

### Status

✖ Closed

### Subject

Webmail has problems with semi-non-standard mail-headers 'Message-ID' vs. 'Message-Id'

### Version

1.9.x

### Category

- Error

### Feature

Webmail

### Resolution status

Fixed or Solved

### Submitted by

amette

### Volunteered to solve

MatWho

### Rating

★ ★ 1 1 ★ ★ ★ ★ 1 1 ★ ★ ★ ★ 1 1 ★ ★ ★ ★ 1 1 ★ ★ ★ ★ 1 1 ★ ★ (0) ?

### Description

Some MTAs set the message id to "Message-Id" in the mail-headers. Tiki only checks for "Message-ID", so that produces an

Notice: Undefined index: Message-ID in /tiki-webmail.php on line 425

when in /tiki-webmail.php?locSection=mailbox

and an

Notice: Undefined index: Message-ID in /tiki-webmail.php on line 160

when in /tiki-webmail.php?locSection=read

### Solution

Pear net\_pop3 doesn't take that in account - not even in the newest version 1.3.6.

Rewrite the array to always use "Message-ID" ?

And tell the Pear guys!

### Importance

4

### Priority

20

### Demonstrate Bug (Tiki 19+)

# Please demonstrate your bug on show2.tiki.org

Version: trunk ▼

Ticket ID

355

Created

Friday 07 October, 2005 16:33:36 GMT-0000

by Unknown

LastModif

Tuesday 30 September, 2008 20:42:50 GMT-0000

Comments



robjkelley 06 Sep 06 13:04 GMT-0000

Is it possible to do a workaround in the tiki code itself to handle either Message-Id for Message-ID?



drlazer 05 Mar 07 01:51 GMT-0000

The same problem exists in tiki-mailin-code.php.



Marc Laporte 12 Aug 07 14:27 GMT-0000

I have this problem as well.

And lots of messages are with "Message-Id:"



Marc Laporte 12 Aug 07 15:51 GMT-0000

(11:12:08) ohertel: I cant find anything I could fix about that 2 bugs...

(11:12:30) ohertel: the pear lib just breaks all lines at \n and pushes it into an array.

(11:12:50) ohertel: And I really do not like to go into intense testing now.






Marc Laporte 12 Aug 07 20:55 GMT-0000

message listing is OK, but showing the body of each message is not yet reliable...

Message-Id: -> I can't read the body of the mail. ex.: tiki-webmail.php?locSection=read&msgid=8

Whereas Message-ID is OK.

## Attachments

	<b>filename</b>	<b>created</b>	<b>hits</b>	<b>comment</b>	<b>version</b>	<b>filetype</b>
	code-that-breaks-in-tiki-mailin.txt	06 Sep 06 13:10 GMT-0000	314			
	code-that-may-fix-tiki-mailin-code.txt	06 Sep 06 13:10 GMT-0000	319			

The original document is available at

<https://dev.tiki.org/item355-Webmail-has-problems-with-semi-non-standard-mail-headers-Message-ID-vs-Message-Id>