

Values:

```
3
mcradmin
6b78cc21c16e768dd8fbb6b538c6bf78
```

```
y
1339700591
```

```
g
```

```
n
```

The built query was likely:

```
INSERT INTO `tiki_newsletter_subscriptions`
(`nlId`,`email`,`code`,`valid`,`subscribed`,`isUser`,`included`) VALUES
('3','mcradmin','6b78cc21c16e768dd8fbb6b538c6bf78','y','1339700591','g','n')
```

Things to check:

Is your database up and running?

Is your database corrupt? Please see how to repair your database

Are your database credentials accurate? (username, database name, etc in db/local.php)

Did you complete the Tiki Installer?

Please see the documentation for more information.

Solution

The system should check if all values are valid emails, and then ignore and report the usernames in the errors.

Workaround

Rename all the users to have proper emails. (Really, you should have done this already for consistency.)

Importance

2

Easy to solve?

4

Priority

8

Demonstrate Bug (Tiki 19+)

Please demonstrate your bug on show2.tiki.org

Version: trunk ▼

Ticket ID

4244

Created

Thursday 14 June, 2012 21:58:43 GMT-0000

by Marc Laporte

LastModif

Monday 28 October, 2013 07:10:50 GMT-0000

Comments

Attachments

filename	created	hits	comment	version	filetype
-----------------	----------------	-------------	----------------	----------------	-----------------

No attachments for this item

The original document is available at

<https://dev.tiki.org/item4244-Group-registration-in-newsletters-conflicts-with-the-Use-email-as-username-feature>