

1st use of this new process is to supply redacted copies of tiki.org, doc.tiki.org and dev.tiki.org to Matthieu Hermet to work on NLP with ElasticSearch.

Workaround

There are plans to automate this, but the current procedure is:

Run setup.sh and when prompted for the multitiki instance, put "redact". This will create the local.php in db/redact/local.php

Modify the db/redact/local.php to point to the database you want to redact (it is recommended that you make a copy of your database first).

Then run:

```
php console.php --site="redact" database:redact
```

Importance

9

Easy to solve?

3

Priority

27

Demonstrate Bug (Tiki 19+)

Please demonstrate your bug on show2.tiki.org

Version: trunk ▼

Ticket ID

4677

Created

Wednesday 21 August, 2013 05:41:16 GMT-0000
by Marc Laporte

LastModif

Thursday 14 November, 2013 20:44:08 GMT-0000

Comments



Marc Laporte 15 Oct 13 18:17 GMT-0000

Matthieu needs data to do some great work.

Thanks!



Nelson Ko 14 Nov 13 20:43 GMT-0000

There are plans to automate this, but the current procedure is:

Run setup.sh and when prompted for the multitiki instance, put "redact". This will create the local.php in db/redact/local.php

Modify the db/redact/local.php to point to the database you want to redact (it is recommended that you make a copy of your database first).

Then run:

```
php console.php --site="redact" database:redact
```



Marc Laporte 26 Feb 23 17:48 GMT-0000

The redact feature will be moved from Tiki Console to Tiki Manager as it will simplify the code (because you need to easily verify the redacted Tiki, and Tiki Manager has all the plumbing for cloning Tiki instances)

Attachments

filename	created	hits	comment	version	filetype
----------	---------	------	---------	---------	----------

No attachments for this item

The original document is available at

<https://dev.tiki.org/item4677-Tiki-DB-Redactor-Add-script-and-document-procedure-for-running-from-any-Tiki-DB-including-tiki-org-backups>