

Bugs & Wish list

dev.tiki.org 13.x HTML tags are showing | Tiki Wiki CMS Groupware :: Development
dev.tiki.org 13.x HTML tags are showing

Status

✖ Closed

Subject

dev.tiki.org 13.x HTML tags are showing

Version

13.x
13.x Regression

Category

- Error
- Regression

Feature

Wiki Syntax (text area, parser, external wiki, etc)

Resolution status

New

Submitted by

Marc Laporte

Lastmod by

manivannans

Rating

★ ★ ☆ ☆ ★ ★ ★ ☆ ☆ ☆ ★ ★ ★ ☆ ☆ ☆ ★ ★ ★ ☆ ☆ ☆ ★ ★ ★ ☆ ☆ ☆ (0) ⓘ

Description

Synchronization

- Mailing List
- Mailing Lists

Latest Changes

1. Forum and Mailing List Synchronization
2. Banning
3. Users
4. Tiki14
5. Tiki13
6. LDAP authentication
7. LDAP Tracker Field
8. Tags
9. Gérer les Modules
10. Elasticsearch
- ...more

cannot be validated.

In this example, we are using: `ForumOut@myTikiSite.com`. need to use your Tiki mail servers domain (if different).

Note: this email address must be able to submit to the mailing list. So the user must be subscribed to the mailing list if closed. Unfortunately, web-based forum posts coming from the Tiki registered user account (that is, the registered users from this same email address.

"Add messages from this email to the forum" The mail server, user and password of a POP3 account that is **solely** for retrieving the Tiki forum. No one should ever login to this account except Tiki. This email account is used to send messages to the mailing list and receive messages individually (no digesting).

In this example we are using:
POP3 server: `mail.myMailHost.com`
User: `ForumIn@myMailHost.com` and
Password: (the password for that email account).

Click here: <http://doc.tiki.org/tiki-print.php?page=Forum+and+Mailing+List+Synchronization>

Importance
8

Easy to solve?
5

Priority
40

Demonstrate Bug (Tiki 19+)
Please demonstrate your bug on show2.tiki.org

Version: trunk ▾

Ticket ID
5375

Created
Monday 28 July, 2014 01:39:33 GMT-0000
by Marc Laporte

LastModif
Monday 18 May, 2015 13:06:12 GMT-0000

Comments



manivannans 18 May 15 13:01 GMT-0000

Hi Marc Laporte,

The problem is using mail ids with the tag, the parser consider the tag as part of the mail id that's why it showing like that. So to avoid that we can just simply add a space between the tag and mail id. (i.e instead of using like this example@example.com we can just use a sapce between underbars and mail id so that it looks like example at example.com) this will make the mail ids bolder. I informed Gary about it, he said he will update the docs according to above said.

Thanks.

Attachments

filename	created	hits	comment	version	filetype
----------	---------	------	---------	---------	----------

No attachments for this item

The original document is available at

<https://dev.tiki.org/item5375-dev-tiki-org-13-x-HTML-tags-are-showing>