

Bugs & Wish list

PluginFade broken since 16.x | Tiki Wiki CMS Groupware :: Development

PluginFade broken since 16.x

Status

✖ Closed

Subject

PluginFade broken since 16.x

Version

16.x

16.x Regression

Category

- Dogfood on a *.tiki.org site
- Regression

Feature

Wiki Plugin (extends basic syntax)

Edit interface (UI)

Resolution status

Fixed or Solved

Submitted by

Xavier de Pedro

Volunteered to solve

luciash d' being

Lastmod by

Xavier de Pedro

Rating

★ ★ ↘ ↘ ★ ★ ↘ ↘ ★ ★ ↘ ↘ ★ ★ ↘ ↘ ★ ★ ↘ ↘ ★ ★ ↘ ↘ ★ ★ ↘ ↘ ★ ★ ↘ ↘ ★ ★ ↘ ↘ (0) ?

Description

PluginFade shows nothing in 16.x. It works as expected in 15.x, and in trunk, a new param has been added (bootstrap=y) which allows the plugin to at least show up.

Workaround? backport that ENH of param to fix PluginFade so that at least there is a way to make it work in 16.x

I create a demo on the instance

Solution

Turns out .toggle() method signature was deprecated in jQuery 1.8 and removed in jQuery 1.9 so it was messed up. See <https://api.jquery.com/toggle-event/>

Fixed by changing the .toggle() to something else...

Fix confirmed, thanks luci!

Importance

7

Easy to solve?

6

Priority

42

Demonstrate Bug (Tiki 19+)

Please demonstrate your bug on show2.tikiwiki.org

Version:

Ticket ID

6182

Created

Saturday 19 November, 2016 00:21:17 GMT-0000

by Xavier de Pedro

LastModif

Monday 06 February, 2017 16:06:08 GMT-0000

Comments



Gary Cunningham-Lee 01 Dec 16 02:08 GMT-0000

Some discussion here:

https://irc.tiki.org/irclogger_log/tikiwiki?date=2016-11-30,Wed&sel=30#I26 . With the (new) parameter `bootstrap="y"` set, the plugin works (although it seems that the icon - if set - doesn't display). The plugin displays as a Bootstrap collapsible panel. But if `bootstrap="n"` or there is no bootstrap parameter, the anchor text itself fades almost immediately so then can't be seen or clicked to display the plugin content.



ArthurT 27 Dec 16 09:51 GMT-0000

If you are using the fade plugin quite often you will see a page with empty spaces after upgrading to 16.1. Since downgrade to 15.3 is not possible, I hope that bug can be fixed quickly.



Bernard Sfez / Tiki Specialist 31 Dec 16 06:57 GMT-0000

Unless we find a quick solution for the next version the default should work and show what the admin/editor is expected.

It is critical that we have good first impression with Tiki (too many download not enough users) !

- We can change the default for the bootstrap parameter to "y"
- We can remove the selector and have ONLY the bootstrap way working.



Gary Cunningham-Lee 26 Jan 17 06:19 GMT-0000

This plugin wasn't broken before it was modified to use Bootstrap (it works in Tiki 15). I'm thinking just revert to the old version (no bootstrap involved) if that will work in Tiki 16+.

If there's a choice between the original behavior and the Bootstrap appearance, I think going back to the original would be better (simpler appearance) and probably more popular. Bootstrap's method for this behavior is shown here:

<http://getbootstrap.com/javascript/#collapse>.



Xavier de Pedro 26 Jan 17 23:19 GMT-0000

this plugin failed, afair, before any addition of bootstrap param, afair. In fact, it was the reason I added that param, so that at least there was a way to make it work in Tiki16 (but I didn't know how to fix properly, and I was reluctant to make the new bootstrap param enable by default) I had another go days ago at converting it to use a simple html5 collapsible section, but unsure if I did all things properly in that case, and I didn't commit. I'll add my patch as attachment for others to review, in case it serves of inspiration on how to solve this issue.

```
Index: lib/wiki-plugins/wikiplugin_fade.php
IDEA additional info:
Subsystem: com.intellij.openapi.diff.impl.patch.CharsetEP
<+>UTF-8
=====
-----
--- lib/wiki-plugins/wikiplugin_fade.php      (revision
Local version)
+++ lib/wiki-plugins/wikiplugin_fade.php      (revision
Shelved version)
@@ -77,6 +77,19 @@
                array('text' => tra('No'), 'value' =>
'n')
            )
        ),
+        'html5' => array(
+            'required' => false,
```

```

+                 'name' => tra('Use html5
version'),
+                 'description' => tra('Use
html5 collapsible section with details and summary tags'),
+                 'since' => '16.2',
+                 'filter' => 'alpha',
+                 'default' => 'n',
+                 'options' => array(
+                     array('text' => '',
'value' => ''),
+                     array('text' =>
tra('Yes'), 'value' => 'y'),
+                     array('text' =>
tra('No'), 'value' => 'n')
+                 )
+             ),
+             'class' => array(
+                 'required' => false,
+                 'name' => tra('CSS Class'),
@@ -133,9 +146,12 @@
                ."<div class='panel-body'" . $body .
"</div>"
                . "</div>"
                . "</div>" ;
-     }
-     else
-     {
+     } else if ($params['html5'] != 'n') {
+         return         "<details>"
+
+     . "<summary><label>". htmlspecialchars($params['label']).
+     "</label></summary>"
+
+         . "<div
class='panel-body'" . $body . "</div>"
+         . "</details>";
+     } else {
+         $jq = '
$(document).ready(function(){
+
+         $(\`#\` .
$unique_link . '\').toggle(
@@ -153,10 +169,10 @@
+         $headerlib = TikiLib::lib('header');
+         $headerlib->add_jq_onready($jq);
+         //wrapping in an extra div makes animation smoother
-         return ( isset($params['class']) ? "<div class='" .
$params['class'] . "'>": "<div>" )
-         . "\r\t" . '<span class="' . $span_class .
'">' . "\r\t\t"
-         . '<a id="' . $unique_link . '" class=' .
$a_class_hidden . '>' . "\r\t\t\t" .
htmlspecialchars($params['label']) . "\r\t\t"
-         . '</a>' . "\r\t" . '</span>' . "\r\t" .
'<div id="' . $unique . '" class="' . $div_class . '">' .

```

```

"\r\t\t\t"
+   return ( isset($params['class']) ? "<div class='" .
$params['class'] . "'>": "<div>" )
+   . "\r\t" . '<span class="' . $span_class .
'">' . "\r\t\t"
+   . '<a id="' . $unique_link . '" class=' .
$a_class_hidden . '>' . "\r\t\t\t" .
htmlspecialchars($params['label']) . "\r\t\t\t"
+   . '</a>' . "\r\t" . '</span>' . "\r\t" .
'<div id="' . $unique . '" class="' . $div_class . "'>' .
"\r\t\t\t\t"
. $body . "\r\t" . '</div>' . "\r" .
'</div>' . "\r";
    }
}

```

See the file with the patch:

https://dev.tiki.org/tiki-download_item_attachment.php?attId=423



Lucias d' being 03 Feb 17 15:34
GMT-0000

Thanks Xavi, interesting, I didn't know about these HTML5 tags before. Though it would add new param to the plugin it wouldn't fix it so I did not add this to the fix in 16.x. But you can add it to trunk I think if you want!



Lucias d' being 26 Jan 17 11:56 GMT-0000

It also affects us: <https://dev.tiki.org/Daily+Build> so should be fixed soon



Lucias d' being 02 Feb 17 13:49 GMT-0000

Fixed in [r61193](#) - thanks [Marc Laporte](#) for sponzoring this!



Gary Cunningham-Lee 03 Feb 17 14:35 GMT-0000

It's working fine now in my local branch 16 (I only tested the simplest case so far.) Thanks.



ArthurT 04 Feb 17 04:03 GMT-0000



it works with me too. Great, thanks a lot



Niel Hirjee 05 Feb 17 19:00 GMT-0000

Any chance of getting this to work with 15.x? I applied the changes to a 15.3 install but the fade plugin continued to work just as before, even with bootstrap=y

Attachments

filename	created	hits	comment	version	filetype
 _FIX_New_param_html5_default_to_on_introduced_to_have_default_behavior_partial	26 Jan 17 23:33 GMT-0000	0	Patch of potential workaround to have default behavior similar to what it is before tiki 16		

The original document is available at <https://dev.tiki.org/item6182-PluginFade-broken-since-16-x>

[Show PHP error messages](#)