

Bugs & Wish list

Unwanted result from multiple Custom Search on a page | Tiki Wiki CMS Groupware :: Development

Unwanted result from multiple Custom Search on a page

Status

Open

Subject

Unwanted result from multiple Custom Search on a page

Version

15.x

Category

- Conflict of two features (each works well independently)

Feature

Search

Wiki Plugin (extends basic syntax)

Resolution status

New

Submitted by

Hersens

Lastmod by

Hersens

Rating

(0)

Description

I added two (2) 'CustomSearch' to a single page in separate sections and separate div id's and different data, the search data and result keeps defaulting to the last CustomSearch on the page. below is the scenario:

{CUSTOMSEARCH}

Custom Search 1 & 2:

□□□□□□□□

```
{CUSTOMSEARCH( tpl="firstCustomSearch.tpl" id="first_search")} {filter field="tracker_id"
content="2"} {output template="templates/first-template.tpl" pagination="y"} //output data 1
{CUSTOMSEARCH} //Some texts and logics seprating them here //In another section
{CUSTOMSEARCH( tpl="secondCustomSearch.tpl" id="second_search")} {filter
field="tracker_id" content="4"} {output template="templates/second-template.tpl"
pagination="y"} //output data 2 {CUSTOMSEARCH}
```

//Output

Searches in first_search form field defaults to data on 'output data 2' and displays result also in it's custom_search_result div. With this, it skips the data and search on 'output data 1' entirely.

Perhaps, the fact that they share same js 'customsearch' variable picks the last one, not sure.

Also, the inclusion of 'destdiv' parameter with different id's (of course) resulting to respective output

data section enters an infinite JQuery loading blocking the data from being populated on the page. While a rename of 'destdiv' parameter to say 'destinationdiv' (undeclared parameter name, yes) populates the display without the blocking but doesn't affect the behavior of Customsearch (of course).

I hope I've been clear enough with this succinct explanation.

Let me know if you would want an elaborate one.

Importance

6

Easy to solve?

6

Priority

36

Demonstrate Bug (Tiki 19+)

Please demonstrate your bug on show2.tiki.org

Version: trunk ▼

Demonstrate Bug (older Tiki versions)

This bug has been demonstrated on show.tikiwiki.org

Ticket ID

6237

Created

Monday 09 January, 2017 19:07:01 GMT-0000
by Hersens

LastModif

Monday 09 January, 2017 19:07:01 GMT-0000

Comments



Hersens 10 Jan 17 23:52 GMT-0000

Appending a random generated variable to the js customsearch variable to differentiate them from each other makes it work as expected.



Jonny Bradley 11 Jan 17 16:14 GMT-0000

Interesting, which js var do you mean and where did you add it?

If you'd like commit access come and see us on IRC and we'll set you up 😊

Alternatively if you could set up a show.tiki.org instance here to demonstrate it i can also try and take a look at it - thanks! 😊



Hersens 23 Jan 17 16:24 GMT-0000

Thanks Jonny for the instance. Do I get access to the backend filesystem as well for flexibility?
The js var is in the lib/wiki-plugins/wikiplugin_customsearch.php - var customsearch —

My apologies form the delay, the timing was a busy one.

Attachments

filename	created	hits	comment	version	filetype
----------	---------	------	---------	---------	----------

No attachments for this item

The original document is available at
<https://dev.tiki.org/item6237-Unwanted-result-from-multiple-Custom-Search-on-a-page>