

# Bugs & Wish list

Calls to plugins inside calls to WYSIWYG plugin with use\_html disabled generate no output (invisible) | Tiki Wiki CMS Groupware :: Development

## Calls to plugins inside calls to WYSIWYG plugin with use\_html disabled generate no output (invisible)

Status

● Open

Subject

Calls to plugins inside calls to WYSIWYG plugin with use\_html disabled generate no output (invisible)

Version

14.x

14.x Regression

15.x

17.x

18.x

Category

- Regression

Feature

WYSIWYG (What You See is What You Get)

Resolution status

Fix on the Way

Submitted by

Philippe Cloutier

Lastmod by

Philippe Cloutier

Rating

★ ★ 1/2 ★ ★ ★ 1/2 ★ ★ ★ 1/2 ★ ★ ★ 1/2 ★ ★ ★ 1/2 ★ ★ ★ (0) ?

Description

Calls to plugins which are inside a call to the WYSIWYG plugin produce no output (which usually means that their effect is invisible). Some plugins, such as FOOTNOTE, have effects other than causing output, so calls to these may keep part or all of their effect.

This bug was introduced by the changes to `wikiplugin_wysiwyg.php` in [r50752](#). Tiki versions 14 to 18+ are affected.

The following call to WYSIWYG demonstrates:

```
{WYSIWYG(use_html="n")}
```

```
This dummy content is visible.{FOOTNOTE()}Note which is invisible, but should be indicated  
by a number which is actually invisible{FOOTNOTE}
```

```
{GROUP(groups="Admins")}This should be visible for admins{GROUP}
```

```
{FADE(label="This should be visible")}Hidden{FADE}
```

```
{WYSIWYG}
```

This happens because `plugin_execute()` calls `ParserLib::convert_plugin_for_ckeditor()` since `ck_editor` is true, and therefore returns an empty string to `parse_first()`, and therefore to `parse_data()`. That `parse_data()` has its `ck_editor` option true, since it is called by `parseToWysiwyg()`, called by `wikiplugin_wysiwyg()`.

Unfortunately, the revision bringing this regression also fixes WYSIWYG edition. So going back to the previous situation breaks edition again. One can only choose between working visualization and working edition.

I believe the way to fix is to go back to `parse_data()`, but re-parse the plugin call's content differently when editing.

Solution

A patch against a modified version of Tiki 15 is attached.

Importance

7

Easy to solve?

4

Priority

28

Demonstrate Bug (Tiki 19+)

Please demonstrate your bug on [show2.tikiwiki.org](http://show2.tikiwiki.org)

Version:   [Create show2.tikiwiki.org instance](#)

Ticket ID

6551

Created

Wednesday 24 January, 2018 14:28:37 GMT-0000

LastModif

Friday 15 March, 2019 17:01:13 GMT-0000

## Comments

## Attachments

---

filename	created	hits	comment	version	filetype
----------	---------	------	---------	---------	----------

---



WYSIWYG\_fix\_display.diff

12 Feb 18 17:18  
GMT-0000

0

The original document is available at

[https://dev.tiki.org/item6551-Calls-to-plugins-inside-calls-to-WYSIWYG-plugin-with-use\\_html-disabled-generate-no-output-invisible](https://dev.tiki.org/item6551-Calls-to-plugins-inside-calls-to-WYSIWYG-plugin-with-use_html-disabled-generate-no-output-invisible)