

## Bugs & Wish list

Headings in included pages end collapsible sections in parent page | Tiki Wiki CMS Groupware ::

Development

Headings in included pages end collapsible sections in parent page

Status

● Open

Subject

Headings in included pages end collapsible sections in parent page

Category

- Regression

Feature

Wiki Syntax (text area, parser, external wiki, etc)

Resolution status

New

Submitted by

Philippe Cloutier

Lastmod by

Philippe Cloutier

Rating

★★★★★ (0) ?

Description

Since Tiki 19, a collapsible section (generated with a heading that starts with a minus or plus sign, as documented) effectively ends at the first heading of the same level or above in the pages it includes (with the INCLUDE plugin).

For example, if page Parent has

this code



!Section 1 Direct content !+Collapsed section Direct content {include page="Help"} ! Last section Direct content

...while page Help has

the following source



!For Support Please Contact support@company.com (555) 123-4567

...then the "For Support Please Contact" section always shows, regardless of the toggle control's state. Clicking on "+" only reveals "Direct content".

I am categorizing this ticket in Bug::Regression because this is a regression, but this is arguably not a bug.

This issue is a regression from r66644 and therefore affects Tiki 19. That commit essentially reverted r48937 (2013-12-03, on the Tiki 12 branch), so Tiki 11 and before also have the same issue.

Note that this is the second back-and-forth on this, after r29321 was reverted by r33993.

## Solution

Tiki never had any code to deal with this issue. Versions 12 to 18 were not affected by chance. Relevant code is in `parse_data_process_maketoc()`,

around line 2598



```
$aclose = '<a id="flipper' . $thisid . '" class="link" href="#" onclick="flipWithSign(\' . $thisid .
\');return false;">[' . ($divstate == '-' ? '+' : '-') . ']'</a>'; $aclose2 = '<div id="' . $thisid . '"
class="showhide_heading" style="display:' . ($divstate == '+' ? 'block' : 'none') . ';">'; $headerlib
= TikiLib::lib('header'); $headerlib->add_jq_onready("setheadingstate('$thisid');");
array_unshift($divdepth, $hdrlevel);
```

and then

around line 2568



```
// Close lower level divs if opened for (; current($divdepth) >= $hdrlevel; array_shift($divdepth))
{ $data .= '</div>'; }
```

## Workaround

Enabling the INCLUDE plugin's `parse_included_page` parameter avoids this issue.

## Importance

3

## Easy to solve?

1 difficult

## Priority

3

## Demonstrate Bug (Tiki 19+)

Please demonstrate your bug on [show2.tiki.org](https://show2.tiki.org)

Version: `trunk` ▼

## Demonstrate Bug (older Tiki versions)

Please demonstrate your bug on [show.tikiwiki.org](https://show.tikiwiki.org)

Version: `18.x` ▼

## Ticket ID

6992

## Created

Tuesday 08 January, 2019 20:03:11 GMT-0000

by Philippe Cloutier

## LastModif

Friday 11 January, 2019 17:44:54 GMT-0000

## Comments

## Attachments

filename	created	hits	comment	version	filetype
----------	---------	------	---------	---------	----------

No attachments for this item

The original document is available at

<https://dev.tiki.org/item6992-Headings-in-included-pages-end-collapsible-sections-in-parent-page>